



## **TENDER #639 - FITNESS ROOM EQUIPMENT**

Issue Date: Friday, February 10, 2012

Barbara Murch, Buyer

Issued by: The Thames Valley District School Board

**Return Date: 12:00:00 noon, local time, Friday, March 2, 2012**

ITEM NO.	TERMS AND CONDITIONS	NOTES FOR BUYERS	WILL COMPLY/WILL NOT COMPLY	COMMENT
<b>1.0</b>	<b>INTRODUCTION</b>			
1.01	The Thames Valley District School Board (hereafter referred to as the TVDSB) invites interested parties to submit sealed submissions in response to this bid document. The TVDSB is one of the largest public school boards in the Province of Ontario and is comprised of all public schools within the counties of Elgin, Middlesex, and Oxford. The TVDSB is the employer of approximately 8,000 staff and operates 166 schools with an estimated enrolment of 71,000 students.			
1.02	The TVDSB may agree to permit other public organizations within Southwestern Ontario to access any contract(s) that may result from this solicitation. The successful bidder(s) shall allow such access with the understanding that the participating organizations be responsible for their own contract management.			
<b>1.1</b>	<b>PURPOSE</b>			
1.1.1	The purpose of this bid document is to provide interested parties with sufficient information to enable them to prepare and submit bids for consideration by the TVDSB for Fitness Room Equipment, subject to the conditions herein.			
<b>2.0</b>	<b>BID DEFINITIONS AND INFORMATION</b>			
<b>2.1</b>	<b>DEFINITIONS</b>			
2.1.1	The following words are used throughout this bid document and bidders should note these conditions when completing their bid submission.			
2.1.1.1	The word "MUST" shall mean bidders "must" include the required information in bid submission. Failure to include the required information will deem submission noncompliant.			
2.1.1.2	The word "SHOULD" shall mean bidders "should" include the required information in bid submission.			
2.1.1.3	The word "NONCOMPLIANT" shall mean bid submissions will be eliminated from further evaluation if the submission does not include the required information.			
2.1.1.4	The word "SUBCONTRACTOR" shall mean a person, firm or company hired by the bidder(s) or the successful bidder(s) to perform any portion or all of this bid.			
2.1.1.5	The word "QUALIFIED" shall mean a bidder who is compliant and has included the required information in their bid submission.			
2.1.1.6	BID IRREGULARITY: A deviation between the requirements (terms, conditions, specifications, special instructions) of a bid response for the purposes of this bid; bid irregularities are further classified as major irregularities or minor irregularities. The classification of what is a major irregularity or a minor irregularity shall be the sole discretion of the TVDSB.			
2.1.1.6.1	Major Irregularity: A deviation from the bid request which affects the price, quality, quantity or delivery, and is material to the award. If the deviation is permitted, the bidder could gain an unfair advantage over competitors. The TVDSB will reject any bid submission which contains a major irregularity.			
2.1.1.6.2	Minor Irregularity: A deviation from the bid request which affects form, rather than substance. The effect on the price, quality, quantity or delivery is not material to the award. If the deviation is permitted or corrected the bidder would not gain an unfair advantage over competitors. The TVDSB may permit the bidder to correct a minor irregularity.			
<b>2.2</b>	<b>STRUCTURE OF THIS BID</b>			
2.2.1	Bidders <b>must</b> use the electronic bidding file (setup.exe) which is available on the internet at:			
2.2.1.1	www.tvdsb.ca → "Board" → "Purchasing" → "Bids"			
2.2.1.2	Scroll to the end of the document, click "Proceed to inquiry/download page"			
2.2.1.3	Proceed to the bid, click "New" icon			
2.2.1.4	The setup.exe file contains the file Appendices639.xls containing the following worksheets:			
2.2.1.5	Worksheet A: Terms and Conditions in Excel format - electronic response required			
2.2.1.6	Worksheet B: Requirements in Excel format - electronic response required			
2.2.1.7	Worksheet C: Pricing List in Excel format - electronic response required			

FIRM NAME : \_\_\_\_\_

SIGNATURE : \_\_\_\_\_

ITEM NO.	TERMS AND CONDITIONS	NOTES FOR BUYERS	WILL COMPLY/WILL NOT COMPLY	COMMENT
2.2.1.8	Worksheet D: List of Locations in Excel format - electronic response is not required			
<b>2.3</b>	<b>RETURN LOCATION</b>			
2.3.1	Sealed bid submissions <b>must</b> be returned to:			
2.3.2	"Tenders Clerk"			
2.3.3	Tenders Clerk's box, Basement, Education Centre			
2.3.4	Thames Valley District School Board			
2.3.5	1250 Dundas Street			
2.3.6	London, Ontario			
2.3.7	N5W 5P2			
2.3.8	The bid submission envelope should show the bid document name, number, return date and time (as set out in Section 9.10 - Labeling of Envelope and diskette, memory stick or CD).			
2.3.9	The bid submission <b>must</b> be returned to the "Tenders Clerk" for your bid submission to be accepted.			
2.3.10	Delivery to the "Tenders Clerk" is the responsibility of the bidder.			
2.3.11	Submissions received by electronic transmission (i.e. fax or email) will not be accepted.			
2.3.12	Late bids will be returned to the bidder, unopened, if a return address is included on the submission envelope.			
<b>2.4</b>	<b>IMPORTANT DATES</b>			
2.4.1	ISSUE DATE: Friday, February 10, 2012			
2.4.2	RETURN DATE and TIME: prior to 12:00:00 noon local time Friday, March 2, 2012			
<b>2.5</b>	<b>QUESTIONS</b>			
2.5.1	All questions pertaining to this bid document are to be addressed to: Barbara Murch, by Fax at (519) 452-2399 or e-mail at b.murch@tvdsb.on.ca. All questions pertaining to this bid document <b>must</b> be submitted in writing.			
2.5.2	Questions concerning the terms and conditions of the bid document, whether made orally or in writing, to any individual other than indicated above, may at the sole discretion of the TVDSB, render your submission noncompliant. Direct questions in written form only to: Barbara Murch, Buyer. The TVDSB will only be bound by written answers to questions.			
2.5.3	Should any questions raised by a bidder necessitate an addendum to this bid document, the addendum will be posted to the TVDSB Web Site.			
2.5.4	All Addenda will be issued at least seven days prior to the closing date. If an addendum is issued within seven days of the closing date, the date will be extended accordingly.			
<b>3.0</b>	<b>CONTRACT TERM / PRICING / TAXES / DELIVERY / PAYMENT</b>			
<b>3.1</b>	<b>CONTRACT TERM</b>			
3.1.1	The term of this agreement shall be for one year, commencing on April 1, 2012 and unless otherwise provided herein, terminating on March 31, 2013.			
3.1.2	The TVDSB may, at the end of this contract term, extend the contract for a period of two years in one (1) year increments and will advise the bidder in writing of their intentions, no later than 60 days prior to month, day, year.			
3.1.3	Bidders <b>must</b> state if your company would agree to extending this contract with the same terms and conditions for a second year ending March 31, 2014.			
3.1.4	Bidders <b>must</b> state if your company would agree to extending this contract with the same terms and conditions for a third year ending March 31, 2015.			
<b>3.2</b>	<b>PRICING</b>			
3.2.1	Bidders <b>must</b> complete the pricing section Worksheet C - Pricing. Bidders must print and sign all worksheets.			
3.2.2	All charges <b>must</b> be included in the cost of the item. Prices quoted must be for goods and services exactly as specified and in Canadian funds, unless otherwise indicated.			

FIRM NAME : \_\_\_\_\_

SIGNATURE : \_\_\_\_\_

ITEM NO.	TERMS AND CONDITIONS	NOTES FOR BUYERS	WILL COMPLY/WILL NOT COMPLY	COMMENT
3.2.3	Prices <b>must</b> include delivery, F.O.B. destination. <b>NO AWARDS WILL BE MADE TO FIRMS QUOTING FREIGHT EXTRA.</b>			
3.2.4	The contract will be for a one-year term ending March 31, 2013. Prices <b>MUST</b> remain firm for the first year of the contract and thereafter only manufacturer's price increases (supported by documentation) will be allowed.			
3.2.5	The TVDSB expects to order in multiple shipments over the length of this contract.			
3.2.6	It is the intention of the TVDSB to rationalize its supplier base. This contract may be awarded on a per item basis or on the best cost of various groupings. The groupings will be determined by the TVDSB. Each bidder agrees to the award on this basis.			
<b>3.3</b>	<b>TAXES</b>			
3.3.1	HST: Where applicable, Harmonized Sales Tax and <b>must</b> be shown separately as extra on all invoices in accordance with Canadian and Provincial Government regulations.			
<b>3.4</b>	<b>DELIVERY &amp; ORDERING</b>			
3.4.1	Delivery for all items will be directly to our Schools, Distribution Centre, Educational Resource Centre or Community Education Centres.			
3.4.2	Delivery dates will be specified on all of our purchase orders. Immediate delivery will be accepted unless otherwise designated on our purchase orders. In case of construction of new schools or major school renovations, the TVDSB shall not accept delivery until the date specified on those purchase orders.			
3.4.3	The successful bidder(s) bears the cost of repairs to the site and to hardware with respect to damage caused from shipping or installation.			
3.4.4	The successful bidder(s) bears the risk of loss with respect to equipment until delivery and/or installation is complete.			
3.4.5	The successful bidder(s) will remove all packaging and shipping debris at no cost to the TVDSB.			
3.4.6	The TVDSB's purchase order number must appear on all packages, packing slips, correspondences, customs documentation and freight bills of lading.			
3.4.7	The lead time shown will be used to calculate delivery dates on our purchase orders and to monitor your company's performance. The lead time <b>must</b> be met as it is one of our criteria considered in the decision, and award, of this and future contracts.			
3.4.8	Not all goods will be ordered at one time; orders will be placed as requests are received from our schools.			
3.4.9	The TVDSB's purchase order number should appear on all packages, packing slips, correspondences, customs documentation and freight bills of landing. All items must be individually packaged for each school or location.			
3.4.9.1	Each package must be clearly labelled for the school or location specified on our purchase order. The successful bidder(s) must ensure the school's full name and address is labelled as we have duplicate location names.			
3.4.9.2	The successful bidder(s) must ensure packages are labelled containing the number of packages in each shipment. ie, 1 of 2, 2 of 2, etc.			
3.4.9.3	Each school's order should contain their own packing slip.			
3.4.9.4	The successful bidder(s) must ensure the packaging materials used are adequate so that the product is protected at all times during the distribution process.			
<b>3.5</b>	<b>INVOICING/PAYMENT TERMS</b>			
3.5.1	All invoices must be sent to the Thames Valley District School Board, 1250 Dundas Street, London, Ontario N5W 5P2. Attention: Accounts Payable.			
3.5.2	Applicable taxes <b>must</b> be shown as separate line items on all invoices.			
3.5.3	Bidders should indicate any specific payment terms. It is generally expected that payment will be 45 days from receipt of invoice.			
3.5.3.1	Bidders should state percentage discount for early payment and net payment terms.			

FIRM NAME : \_\_\_\_\_

SIGNATURE : \_\_\_\_\_

ITEM NO.	TERMS AND CONDITIONS	NOTES FOR BUYERS	WILL COMPLY/WILL NOT COMPLY	COMMENT
3.5.4	Purchase order numbers <b>must</b> be stated on all invoices; invoices without the Thames Valley District School Board Purchase Order number will be returned unpaid.			
<b>4.0</b>	<b>SPECIFICATIONS/REQUIREMENTS</b>			
<b>4.1</b>	<b>QUALITY</b>			
4.1.1	Unless otherwise specified, supplies must be new, in good condition, fit for the purpose for which they are being acquired and free from defects. The decision of the TVDSB pertaining to items being rejected is final.			
4.1.2	Manufacturers' brand names and model numbers are used as guidance for the bidders; alternate items of equal quality will be considered. If bidding on an alternate item, the manufacturer's name and model number <b>must</b> be indicated in the appropriate field in Worksheet C - Pricing for EVERY ITEM BID.			
4.1.3	The determination of equal quality will be based on our internal professional opinions.			
4.1.4	In addition to price, quality and suitability to school use will be among the first considerations. Delivery lead times, service, performance record, manufacturer's warranties and the value of the overall award will also be taken into consideration when awarding this contract.			
4.1.5	Any material, equipment, service or work ordered which, in the opinion of the TVDSB, does not completely fulfill the specifications <b>must</b> immediately be removed and/or completed to the specifications or sample quality at the expense of the successful bidder.			
4.1.6	The successful bidder(s) <b>must</b> carry out all work to the satisfaction of the TVDSB. All trade work is to be performed by appropriately certified staff.			
<b>4.2</b>	<b>QUANTITY/TERM</b>			
4.2.1	The quantities indicated are based on previous one years' purchases and projected current year capital projects. Quantities are subject to equipment breakdowns, user requests, program changes and budget approval which may be increased or decreased when orders are placed. All items may not be purchased if costs exceed budget. In no way should the information furnished be considered as a guarantee with respect to the future volume of business. The successful bidder(s) will be responsible for supplying the quantities that are eventually ordered for each item awarded during the term of this bid at the quoted price.			
<b>4.3</b>	<b>REQUIREMENTS</b>			
4.3.1	The requirements are detailed in Specifications List - Worksheet B and Worksheet C. For each requirement as described in Worksheet B and C, bidders must place a response in the appropriate column.			
<b>4.4</b>	<b>RETURN OF GOODS POLICY</b>			
4.4.1	The TVDSB will return any shipment (COLLECT) if, in our opinion, the product supplied does not conform to the specification and/or samples submitted in the bid.			
4.4.2	Bidders <b>must</b> state if there is a time limit on returning goods.			
4.4.3	Bidders should state if there is a "restocking charge" on any returned item and the amount or rate to be charged if goods are returned for any other reason than those stated in 4.5.1.			
4.4.4	Bidders should describe their procedure for returned goods with respect to:			
4.4.4.1	Packaging			
4.4.4.2	"Attention To" labeling			
4.4.4.3	Address to where returns should be shipped			
4.4.4.4	Method of shipment (company truck, courier, transport)			
4.4.4.5	If a return authorization number is required			
4.4.4.6	What charges apply and who is responsible for payment			
4.5.1	The TVDSB will not pay to return any goods which do not meet the specifications listed in this bid.			
<b>4.6</b>	<b>SAMPLES/DEMONSTRATION</b>			

FIRM NAME : \_\_\_\_\_

SIGNATURE : \_\_\_\_\_

ITEM NO.	TERMS AND CONDITIONS	NOTES FOR BUYERS	WILL COMPLY/WILL NOT COMPLY	COMMENT
4.6.1	Each bidder may be required to submit, at the bidder's own expense, the items which are being bid upon for examination and comparison purposes. This <b>must</b> be done on request and at a time and location chosen by the TVDSB.			
4.6.1.1	Samples requested <b>must</b> be clearly marked with the name of the bidder and the bid item number.			
<b>4.7</b>	<b>SUBSTITUTIONS</b>			
4.7.1	In the event that an item ordered becomes discontinued during the contract, all bidders must notify the Purchasing Services Department for authorization before the item is substituted and shipped to the appropriate location. Successful bidders may be required to provide samples of the proposed substitutions before sending shipments. The Board reserves the right to return any shipment <b>COLLECT</b> , if in our opinion the products supplied do not conform to the specifications in this bid document.			
<b>4.8</b>	<b>ENVIRONMENT</b>			
4.8.1	Bidder(s) should include a detailed description of any environmental initiative and how your program would be implemented and benefit TVDSB.			
<b>4.9</b>	<b>SOLICITATION OF BUSINESS</b>			
4.9.1	Vendor solicitation for business at the TVDSB schools is not allowed. Contact should be made through Purchasing Services for new products and technology. Schools may be directed to contact suppliers for quotations. The supplier should fax a copy of the quotation directly to Purchasing Services at 519-452-2399.			
<b>5.1</b>	<b>GENERAL TERMS AND CONDITIONS</b>			
5.1.1	Any response submitted to the bid is <b>IRREVOCABLE</b> for 120 days.			
5.1.2	A bidder who has already submitted a bid may submit an addendum in writing and signed by the bidder at any time up to the official closing time. No facsimiles shall be accepted. The last submission shall supersede and invalidate all previous submissions by that bidder as it applies to this bid. Addenda <b>must</b> be submitted to the "Tenders Clerk" in the same manner and within the same time constraints as the bid submission.			
5.1.3	A bidder may withdraw the bid at any time up to the official closing time by letter bearing his/her signature as it is in the submission. Withdrawal requests received after the closing date shall not be permitted. Submission withdrawals <b>must</b> be submitted to the "Tenders Clerk" in the same manner and within the same constraints as a bid submission.			
5.1.4	The issuance of this call for bids shall not constitute any obligation on the part of the TVDSB to any firm or individual who submits a bid.			
5.1.5	The bidder <b>should</b> have satisfactorily fulfilled all relevant obligations as required under the terms and conditions of any previous award in order to be considered as an acceptable bidder.			
5.1.6	The laws of the Province of Ontario shall govern in any dispute occasioned as a result of the performance or non-performance and/or workmanship of a contract issued pursuant to the bid and any dispute arising out of the issuance of and response to this bid.			
5.1.7	The TVDSB reserves the right to withdraw the award of the contract to a successful bidder(s) within 30 days of the award if in the opinion of the TVDSB the successful bidder(s) is unable or unwilling to enter into a form of contract satisfactory to the TVDSB. The TVDSB shall be entitled to do so without any liability being incurred by the TVDSB to the bidder			
5.1.8	The lowest or any bid submission may not necessarily be accepted. The TVDSB reserves the right to decline any or all bid submissions, or to cancel the bid call in whole or in part at any time prior to making an award, for any reason, or no reason, without liability being incurred by the TVDSB to any bidder for any expense, cost, loss or damage incurred or suffered by the bidder as a result of such withdrawal.			
5.1.9	All costs associated with the preparation of the bid submission will be solely the responsibility of the bidder.			

FIRM NAME : \_\_\_\_\_

SIGNATURE : \_\_\_\_\_

ITEM NO.	TERMS AND CONDITIONS	NOTES FOR BUYERS	WILL COMPLY/WILL NOT COMPLY	COMMENT
5.1.10	The TVDSB reserves the right to decline or purchase one or all items in this bid from one supplier or from multiple suppliers.			
5.1.11	All of the terms and conditions of this bid are deemed to be accepted by the bidder and incorporated into the bidder's proposal submission. It is the TVDSB's intention that the Terms and Conditions stated in this bid and the successful bidder's response to this bid will form the contract between TVDSB and the successful bidder(s). Any conflict in the wording of the bidder's invoice and/or sales agreement and the wording of the terms and conditions of this proposal, shall be resolved in favour of the TVDSB and shall be deemed to be incorporated into the bidder's invoice and/or sales agreement.			
5.1.12	The successful bidder(s) <b>must</b> not at any time subcontract any portion of its contract with the TVDSB nor shall it assign the contract without the written permission of the TVDSB. The successful bidder(s) must not, at any time, change subcontractors approved by the TVDSB without written permission of the TVDSB.			
5.1.13	While the TVDSB has used considerable efforts to ensure an accurate representation of information in this bid document, the information contained herein is contained solely as a guideline for bidders. The information is not guaranteed or warranted to be accurate by the TVDSB, nor is it necessarily comprehensive or exhaustive. Nothing in this bid document is intended to relieve bidders from forming their own opinions and conclusions in respect to the matters addressed in this bid document.			
5.1.14	The TVDSB may accept or waive a minor irregularity, or where practical to do so the TVDSB may as a condition of bid acceptance request a bidder to correct a minor irregularity with no change in bid price. Items of non compliancy on any bid submissions which do not strictly comply with the provisions, procedures and requirements of this bid, or are incomplete, ambiguous, or which contain errors, alterations, misleading information, omissions, or irregularities of any kind, may be rejected and disqualified at the discretion of the TVDSB. All bidders agree to provide all such additional information as, and when requested, at their own expense, provided no bidder in supplying any such information shall be allowed, in any way to change the pricing or other cost quotations originally given in its bid submission or in any way materially alter or add to the solution originally proposed.			
5.1.15	All TVDSB policies, procedures and regulations <b>must</b> be adhered to by the successful bidder(s).			
5.1.15.1	Smoking is prohibited in all TVDSB buildings and on all TVDSB property.			
5.1.15.2	Some TVDSB sites are equipped with video surveillance cameras.			
5.1.15.3	The successful bidder(s) is obliged to cooperate with all recycling and environmental procedures and initiatives established by government, the TVDSB and each school.			
5.1.16	The successful bidder(s) will reimburse the TVDSB for any damages through negligence or wilful acts of any of the successful bidder(s)' employees or contracted staff.			
5.1.17	The successful bidder(s)' employees and contracted staff shall not be considered TVDSB employees and shall not represent themselves as an agent of the TVDSB nor be eligible for any of the benefits provided to TVDSB employees.			
5.1.18	The TVDSB reserves the right to demand the removal of any successful bidder's employees or contracted staff engaged in this contract if, in the TVDSB's opinion, their conduct has been of an unacceptable nature.			
5.1.19	The successful bidder(s) will be responsible for seeing that regular supervision is maintained over all working personnel. It is the bidder's responsibility to see that all their activities are properly coordinated with the TVDSB's operations and modify assignments as required.			
5.1.20	This bid document is being issued pursuant to the TVDSB's Purchasing Policies and Procedures.			
<b>5.2</b>	<b>CANCELLATION OF CONTRACT / LOSS OF SERVICE</b>			

FIRM NAME : \_\_\_\_\_

SIGNATURE : \_\_\_\_\_

ITEM NO.	TERMS AND CONDITIONS	NOTES FOR BUYERS	WILL COMPLY/WILL NOT COMPLY	COMMENT
5.2.1	The TVDSB reserves the right to terminate this contract within 30 days written notice if, in its opinion, the successful bidder(s) fails to meet the terms and conditions of the contract. Notwithstanding the termination of the contract, the successful bidder(s) shall remain responsible for its obligations under this contract up to the date of termination. The TVDSB reserves the right to commence an action in a court of competent jurisdiction against the successful bidder(s) for damages that result from the breach of the terms and conditions of the contract, by the successful bidder(s).			
5.2.2	The TVDSB shall have the right to retain and set off from any monies payable to the successful bidder(s) under the contract the total outstanding amount from time to time and for all damage claims by the TVDSB or any third parties arising out of this contract which have not been resolved by the successful bidder(s) or its insurer.			
5.2.3	The TVDSB reserves the right to withhold monies owing under a contract to the value of the obligation to a maximum of the monies owing to the successful bidder(s) for any indebtedness of the supplier that may impact on the TVDSB.			
5.2.4	The successful bidder(s) shall be responsible for ensuring continuous delivery of the goods and services in the event of a labour disruption by either, the successful bidder(s), the TVDSB's staff or third party interruptions.			
5.2.5	In the event that the successful bidder(s) becomes insolvent, and/or the successful bidder(s) is unable or unwilling to provide the contracted service for a period of more than 30 consecutive days during the period of the contract, the TVDSB shall have the right to replace the successful bidder(s) with another service provider suitable to the TVDSB in addition to all of its other rights pursuant to the term of this bid.			
<b>5.3</b>	<b>FREEDOM OF INFORMATION AND PROTECTION OF PRIVACY ACT</b>			
5.3.1	Bidders agree that all documentation and information contained in any bid submissions and any addendum that becomes the property of the TVDSB shall be subject to disclosure pursuant to an application pursuant to a Municipal Freedom of Information and Protection of Privacy Act request for disclosure. Notwithstanding that a bid submission or an addendum may contain a trade secret of the bidder, intellectual property right of the bidder, or scientific, technical, commercial, pricing or other financial or labour relations information or any other similar secret.			
5.3.2	A bidder specifically consents to the disclosure of any and all information contained in their bid submission or any addendum pursuant to a request for disclosure pursuant to a Municipal Freedom of Information and Protection of Privacy Act and such consent shall be considered a consent given pursuant to Subsection 10(2) of the said Act. Notwithstanding the aforesaid, the bidder assigns all rights, titles and interests that they have in the bid submission, and any addendum to the TVDSB, including the right to copy and/or publish the same as the TVDSB sees fit, notwithstanding that no request for disclosure is made pursuant to the Municipal Freedom of Information and Protection of Privacy Act.			
5.3.3	All bidders agree not to disclose any information provided by the TVDSB in this bid document to any third party without the written consent of the TVDSB.			
<b>5.4</b>	<b>HUMAN RIGHTS AND CHILD LABOUR LAWS</b>			
5.4.1	Any infringement on human rights, but namely those of children, is of considerable concern to the TVDSB. Bidders wishing to do business with the TVDSB are asked to promote the purchase of goods from companies that operate in full compliance with the laws of their respective countries and with all applicable child labour laws, rules and regulations related to hiring, wages, hours worked, overtime and working conditions.			
5.4.2	Bidders should indicate your firm's policy and present practices and procedures in place to encourage promotion of this objective.			
5.4.3	For bidders information the web site address of the International Labour Organization and its objectives toward the abolition of child labour is:			

FIRM NAME : \_\_\_\_\_

SIGNATURE : \_\_\_\_\_

ITEM NO.	TERMS AND CONDITIONS	NOTES FOR BUYERS	WILL COMPLY/WILL NOT COMPLY	COMMENT
5.4.3.1	<a href="http://www.ilo.org">http://www.ilo.org</a>			
<b>5.5</b>	<b>WORKPLACE SAFETY AND INSURANCE BOARD</b>			
5.5.1	The successful bidder(s) <b>must</b> ensure that all workers are covered by the Workplace Safety & Insurance Board for the duration of this contract.			
5.5.2	The successful bidder(s) <b>must</b> furnish a Certificate of Clearance from the Workplace Safety and Insurance Board as evidence that all returns have been made and all necessary assessments have been paid as required, or levied, by the Workplace Safety and Insurance Board. This certification is to be furnished prior to the commencement of this contract. The good standing must be maintained throughout the contract. It is the responsibility of the Contractor to ensure that the Workplace Safety & Insurance Board Certificate is updated every sixty (60) days. The TVDSB reserves the right to request proof of coverage any time throughout the duration of the contract.			
5.5.3	All workplace injuries or accidents on TVDSB property <b>must</b> be reported by the successful bidder(s) to the TVDSB's representative within 24 hours.			
<b>5.7</b>	<b>COMMERCIAL LIABILITY INSURANCE</b>			
5.7.1	The successful bidder(s) <b>must</b> be covered by Commercial General Liability Insurance throughout the term of the contract. Each bidder must state if it has Commercial General Liability Insurance Coverage.			
5.7.2	Each bidder should show proof with the submission of this bid that upon the award of this contract that it will be covered by Commercial Liability Insurance coverage with limits of \$2 million per occurrence for liability (by way of primary coverage and/or Umbrella Coverage and/or otherwise), arising at law for damages caused by reason of bodily injury (including death) or damage to property by its employees or subcontractors. If the bidder does not presently have \$2 million per occurrence of Commercial Liability Insurance coverage, the bidder shall provide a written assurance from his insurer or agent on the insurer's or agent's letterhead that liability insurance limits will be increased to \$2 million per occurrence from the commencement of the contract should the contract be awarded to the bidder. The successful bidder(s) further agrees to maintain good standing throughout the term of the contract. The TVDSB reserves the right to request proof of coverage any time throughout the duration of the contract.			
5.7.2.1	This liability policy shall contain the following coverage:			
5.7.2.2	Personal Injury & Property Damage			
5.7.2.3	Non-Owned Automobile Liability			
5.7.2.4	Owners and Contractors Protective Coverage			
5.7.2.5	Contractual Liability			
5.7.2.6	Broad Form Property Damage			
5.7.2.7	Products & Completed Operation Insurance			
5.7.2.8	Contingent Employees Liability			
5.7.2.9	Cross Liability Clause and Severability of Interest Clause			
5.8.1	Upon an award to the successful bidder(s) by the TVDSB, the successful bidder(s) shall be required to submit certification in a form satisfactory to the TVDSB of the above-mentioned coverage to protect the TVDSB against claims for property damages and personal injuries, including accidental death, caused by the successful bidder(s) or its employees or subcontractors during the performance of its obligations under the contract.			
5.8.2	The successful bidder(s) agrees to indemnify, hold harmless and defend the TVDSB from and against any and all liability for loss, damage and expense, which the TVDSB may suffer or for which the TVDSB may be held liable by reason or injury (including death) or damage to any property arising out of negligent or wilful acts on the part of the successful bidder(s) or any of its representatives or employees or subcontractors in the execution of the work performed or from defects in the equipment supplied.			

FIRM NAME : \_\_\_\_\_

SIGNATURE : \_\_\_\_\_

ITEM NO.	TERMS AND CONDITIONS	NOTES FOR BUYERS	WILL COMPLY/WILL NOT COMPLY	COMMENT
5.9	<b>MOTOR VEHICLE LIABILITY INSURANCE</b>			
5.9.1	Bidders <b>must</b> state if its own vehicles and/or those vehicles owned by its employees or subcontractors shall operate on the property of the TVDSB.			
5.9.2	In the event of an affirmative answer to 5.9.1, the successful bidders <b>must</b> be covered by Automobile Liability Insurance through the term of the Contract. If the bidder's employees or subcontractors will operate their own vehicles during the contract then they must maintain the same Automobile Liability Coverage as the bidder. Each bidder must state if it or its employees or subcontractors have Automobile Liability Insurance Coverage. Sub clauses also subsection 5.9.3 to subsection 5.9.4 applies to those employees or subcontractors who operate their own automobiles on the property of the TVDSB.			
5.9.3	Bidders should show proof with the submission of this bid, that upon the award of this contract that it will be covered by Automobile Liability Insurance with coverage limits of \$2 million (Commercial and \$1 million on all personally owned vehicles) per occurrence for liability arising at law for damages caused by reason or bodily injury (including death) or damage to property by its employees or subcontractors. If the bidder does not presently have \$2 million per occurrence of Automobile Liability Insurance Coverage, the bidder shall provide a written assurance from his insurer or agent on the insurer's or the agent's letterhead that liability insurance limits will be increased to \$2 million for Commercial Vehicles and \$1 million personally owned vehicles per occurrence from the commencement of the contract and annually thereafter for the term of the contract, should the contract be awarded to the bidder. The successful bidder(s) further agrees to maintain that good standing throughout the term of the contract.			
5.9.3.1	The TVDSB reserves the right to request proof of coverage anytime throughout the duration of the contract. This liability policy shall contain the following coverage:			
5.9.3.2	Third Party Liability Coverage in the form of OAP-1			
5.9.4	Upon an award to the successful bidder(s) by the TVDSB, the successful bidder(s) shall be required to submit certification in a form satisfactory to the TVDSB of the above-mentioned coverage to protect the TVDSB against claims for property damage and personal injuries, including accidental death, caused by the successful bidder(s) or its employees or subcontractors during the performance of its obligations under the contract by way of the ownership or operation of an automobile.			
5.9.5	The successful bidder(s) agrees to indemnify, hold harmless, and defend, the TVDSB from and against any and all liability for loss, damage and expense, which the TVDSB may suffer or for which the TVDSB may be held liable by reason of injury (including death) or damage to any property arising out of negligence on the party of the successful bidder(s) or any of its representatives or employees by way of the ownership or operation of an automobile.			
5.10	<b>HEALTH, SAFETY REGULATIONS</b>			
5.10.1	All equipment requiring approval (Hydro One, C.S.A., ULC., etc.) <b>must</b> be completely assembled and must bear a label showing approval of assembly prior to delivery. The TVDSB shall not accept any equipment that has not been inspected and approved. If not so approved, the TVDSB reserves the right to invoice the successful bidder(s) for the cost of certification/replacement.			
5.10.2	Every person who supplies any machine, device, tool, equipment or service to the TVDSB <b>must</b> ensure that the machine, device, tool, equipment or service complies with the Occupational Health and Safety Act and Regulations of Industrial Establishments. The burden of proof rests with the supplier.			
5.10.3	The Ministry of Education and Training and the Ministry of Health provides regulations specifying which substances/products are not acceptable. If applicable, the successful bidder(s) <b>must</b> supply MATERIAL SAFETY DATA SHEETS providing us with the breakdown of components for any products used in our facilities with every shipment.			

FIRM NAME : \_\_\_\_\_

SIGNATURE : \_\_\_\_\_

ITEM NO.	TERMS AND CONDITIONS	NOTES FOR BUYERS	WILL COMPLY/WILL NOT COMPLY	COMMENT
5.10.4	The Occupational Health and Safety Act describes the responsibilities of an employer. The TVDSB requires that contractors maintain procedures, training and enforcement so that the responsibilities are carried out at our workplace. The contract shall abide by and strictly adhere to the regulations and conditions set out and laid down by the most current versions of the Occupational Health and Safety Act, 1990, Chapter 0-1. Their workers must be trained in WHMIS in accordance with Occupational Health and Safety Act Regulations. They <b>must</b> adhere to all of the TVDSB's Health and Safety Policy, Procedures and Guidelines and Municipal Bylaws.			
<b>6.0</b>	<b>BIDDER PROFILE</b>			
<b>6.1</b>	<b>REFERENCES</b>			
6.1.1	New bidders <b>must</b> provide a minimum of three references where you have successfully provided goods and or services similar to this bid document. The reference <b>must</b> contain the following information:			
6.1.1.1	Reference 1 - Company Name:			
6.1.1.2	Reference 1 - Address:			
6.1.1.3	Reference 1 - Contact Name:			
6.1.1.4	Reference 1 - Phone Number:			
6.1.1.5	Reference 1 - Fax Number:			
6.1.1.6	Reference 1 - e-mail address:			
6.1.1.7	Reference 2 - Company Name:			
6.1.1.8	Reference 2 - Address:			
6.1.1.9	Reference 2 - Contact Name:			
6.1.1.10	Reference 2 - Phone Number:			
6.1.1.11	Reference 2 - Fax Number:			
6.1.1.12	Reference 2 - e-mail address:			
6.1.1.13	Reference 3 - Company Name:			
6.1.1.14	Reference 3 - Address:			
6.1.1.15	Reference 3 - Contact Name:			
6.1.1.16	Reference 3 - Phone Number:			
6.1.1.17	Reference 3 - Fax Number:			
6.1.1.18	Reference 3 - e-mail address:			
<b>6.2</b>	<b>ADMINISTRATION &amp; ORGANIZATION</b>			
6.2.1	The TVDSB reserves the right at any time after the closing date, to request from any bidder evidence of its financial standing and stability, including that of each of its officers, directors and principals. All bidders agree to provide at their own expense all such above-related information as may be requested by the TVDSB within four (4) days of the date of any such request.			
6.2.2	Bidders are required to list any and all pending or ongoing legal claims or disputes where the bidder could individually or in combination with other claims, suffer a potential economic loss greater than \$100,000.00.			
6.2.3	Bidders should state location of their distribution centre.			
6.2.4	Bidders should state if their employees service sites wearing uniforms.			
6.2.5	Bidders should state if their employees carry photo identification.			
6.2.6	Bidders should state if they are ISO registered and if so what level.			
6.2.7	Bidders should state if the staff involved in the execution of this contract are employees or sub-contractors.			
<b>7.0</b>	<b>BID SUBMISSION</b>			
<b>7.1</b>	<b>BIDDER'S RESPONSE GUIDE</b>			
7.1.1	Each bid submission should be structured using only the criteria identified in this bid document. When submitting bids, bidders should use the same numbering format, as on this bid document.			
7.1.2	The bid submission <b>must</b> include:			
7.1.2.1	Printed and signed copies of all Appendices			

FIRM NAME : \_\_\_\_\_

SIGNATURE : \_\_\_\_\_

ITEM NO.	TERMS AND CONDITIONS	NOTES FOR BUYERS	WILL COMPLY/WILL NOT COMPLY	COMMENT
7.1.3	One diskette, memory stick or CD with Appendices639.xls file containing the following worksheets:			
7.1.3.1	Worksheet A: Terms and Conditions Response in Excel format - Electronic response required			
7.1.3.2	Worksheet B: Specifications in Excel format - Electronic response required			
7.1.3.3	Worksheet C: Pricing in Excel format - Electronic response required			
7.1.3.4	Worksheet D: List of Locations in Excel format - Electronic response is not required			
7.1.4	It is the bidder's responsibility to ensure that the necessary "files" are on the diskette, memory stick or CD.			
7.1.5	Failure to respond in electronic format will deem the bid noncompliant.			
7.1.6	All bid documents should be submitted in an envelope marked with the bid name and number (as set out in Section 9.10 - Labeling Instructions).			
7.1.7	Bidders' submissions should include page numbers for ease of reference by committee members.			
7.1.8	The specifications and pricing section of the bid submission should not make reference to supplemental materials.			
7.1.9	Supplemental materials will not qualify as substitutes for direct responses to the bid's requirements unless specifically requested.			
<b>8.0</b>	<b>AWARD</b>			
<b>8.1</b>	<b>EVALUATION PROCESS</b>			
8.1.1	An evaluation committee will be established to evaluate bid submissions.			
8.1.2	All bid submissions will first be evaluated on their compliance with the requirements of this bid document.			
8.1.3	All compliant bid submissions will be evaluated by a TVDSB evaluation committee based on the following evaluation criteria:			
8.1.3.1	Price			
8.1.3.2	Compliance with Specifications			
8.1.3	Compliant bidders may be requested to make a presentation of their bid for clarification only. No alteration of your submission will be permitted. Notification will be given to qualified bidders as to the time and place. The presentation shall be at the expense of the bidder.			
8.1.4	Delivery, lead times, service, performance record, and the value of the overall award will also be taken into consideration when awarding this contract.			
8.1.5	The determination of equal quality will be based on our internal professional opinions.			
8.1.6	In the event of a tie score the TVDSB will resolve the tie by a draw. The names of the tie bidders will be entered into the draw. All parties will have representation when the draw takes place.			
<b>8.2</b>	<b>AWARD AND NOTIFICATION OF CONTRACT</b>			
8.2.1	The results of this bid will be posted to the TVDSB web site as soon as decisions have been made:			
8.2.2	All documents are available from the TVDSB Web Site at <a href="http://www.tvdsb.ca">www.tvdsb.ca</a>			
8.2.3	Click "Board" → "Purchasing" → "Bids"			
8.2.4	Read "Electronic Bidding Instructions, Bid Download and Bid Results" or "Bids"			
8.2.5	Click "Proceed to Inquiry/Download page"			
8.2.6	Click on the "Name of the Bid" to view documents in PDF format.			
8.2.7	Click on the "NEW" logo to download the executable files for preparing and submitting your bid.			
8.2.8	All bid files are available for downloading at no charge from the TVDSB web site.			

Barbara Murch  
 Purchasing Department

Joyce Bennet  
 Chairperson

FIRM NAME : \_\_\_\_\_

SIGNATURE : \_\_\_\_\_

ITEM NO.	TERMS AND CONDITIONS	NOTES FOR BUYERS	WILL COMPLY/WILL NOT COMPLY	COMMENT
<b>9.0</b>	<b>ELECTRONIC BIDDING INSTRUCTIONS</b>			
<b>9.1</b>	<b>DOWNLOADING BID DOCUMENTS</b>			
9.1.1	All documents are available from the TVDSB Web Site at www.tvdsb.ca			
9.1.2	Click "Board" → "Purchasing" → "Bids"			
9.1.3	Read "Electronic Bidding Instructions, Bid Download and Bid Results" or "Bids"			
9.1.4	Click "Proceed to Inquiry/Download page"			
9.1.5	Click on the "Name of the Bid" to view documents in PDF format.			
9.1.6	Click on the "NEW" logo to download the executable files for preparing and submitting your bid.			
9.1.7	All bid files are available for downloading at no charge from the TVDSB web site.			
<b>9.2</b>	<b>PRINTING COPIES OF BID DOCUMENTS</b>			
9.2.1	To print a working copy of any bid document - Click on the "name of the Bid" to print documents in PDF format.			
<b>9.3</b>	<b>COMPUTER SYSTEM REQUIREMENTS</b>			
9.3.1	To use the electronic system, bidders <b>must</b> have the following equipment:			
9.3.1.1	Microsoft Windows, version 95 or greater			
9.3.1.2	2.5 MB available hard drive space			
9.3.1.3	3 ½ 1.44 MB diskette drive, CD burner, or USB port.			
<b>9.4</b>	<b>INSTALLATION OF BID PROGRAM ONTO YOUR COMPUTER:</b>			
9.4.1	The TVDSB has made every effort to ensure the files are free of any virus and are functional. However, in safe computing practice, you are responsible for checking the files on your own virus checker to ensure it is free of any virus.			
9.4.2	Download the executables from our Web Site as shown above. Double click on the "NEW" logo for the executable file. Follow the instructions.			
9.4.3	The bid files are installed into a default directory called C:\LBTENDER. When the installation process is complete, a box will appear with a "Remove Thames Valley District School Board Tender icon"; please close this box. When the setup is complete, click close.			
9.4.4	The following files will be installed in the C:\lbtender directory:			
9.4.5	Appendices639.xls			
9.4.6	To start the process open the Excel file and complete as instructed.			
<b>9.8</b>	<b>THE RETURN DISKETTE, MEMORY STICK OR CD:</b>			
9.8.1	After all bids have been entered:			
9.8.1.1	Copy the Appendices639.xls to either a 3.5" diskette, memory stick or CD using your company's standard CD Writing program.			
9.8.1.2	Check to ensure that the Appendices639.xls file is on the diskette, memory stick or CD. Without this file we will not be able to download your bid.			
9.8.1.3	Be sure to label your diskette, memory stick or CD with company name and signature.			
<b>9.10</b>	<b>LABELING OF ENVELOPE</b>			
9.10.1	ADDRESS BID ENVELOPE AS SHOWN BELOW:			
9.10.2	From - Company Name & Address			
9.10.3	To:OFFICE OF THE TENDERS CLERK			
9.10.4	Thames Valley District School Board			
9.10.5	EDUCATION CENTRE,			
9.10.6	1250 Dundas Street,			
9.10.7	LONDON, Ontario			
9.10.8	N5W 5P2			
9.10.9	Fitness Room Equipment			
9.10.10	Bid #639			
9.10.11	Return Date: 12:00:00 noon local time, Friday, March 2, 2012			
<b>9.11</b>	<b>PLEASE AFFIX LABEL ON DISK AS SHOWN BELOW:</b>			

FIRM NAME : \_\_\_\_\_

SIGNATURE : \_\_\_\_\_

ITEM NO.	TERMS AND CONDITIONS	NOTES FOR BUYERS	WILL COMPLY/WILL NOT COMPLY	COMMENT
9.11.1	THAMES VALLEY DISTRICT SCHOOL BOARD			
9.11.2	Fitness Room Equipment			
9.11.3	Bid #639			
9.11.4	Return Date: 12:00:00 noon local time, Friday, March 2, 2012			
9.11.5	Signature:			
9.11.6	Firm Name:			
<b>10.0</b>	<b>SIGNATURE PAGE</b>			
10.1	This section must be completed, signed, and included with your submission for your bid to be accepted.			
10.2	I hereby acknowledge and agree that I have read and completed all of the preceding Contract Terms and Conditions and all Appendices. All required Appendices are included in our bid submission.			
10.3	I/We the undersigned are duly authorized to execute this Bid Submission on behalf of:			
10.4	NAME (Please print):			
10.5	TITLE:			
10.6	SIGNATURE:			
10.7	FIRM NAME:			
10.8	State the legal entity that your organization operates under:			
10.8.1	Proprietorship			
10.8.2	Partnership			
10.8.3	Corporation			
10.9	If your organization is incorporated, bidders <b>must</b> state the jurisdiction in which the corporation was originally incorporated in:			
10.9.1	Name of each individual Partner or Correct Legal Name of Corporation:			
10.9.2	E-MAIL ADDRESS:			
10.9.3	ADDRESS:			
10.9.4	INTERNET ADDRESS:			
10.9.5	TELEPHONE NO.:			
10.9.6	FAX NO.:			
10.10	If subcontracting, bidders <b>must</b> provide the correct legal name for any sub contractor, their full personal name and address, telephone number, fax number, as well as the name(s) of appropriate contact persons (with whom the TVDSB may consult regarding this bid with whom the bidder enters into a contract(s) with to carry out any portion of this contract:			
10.10.1	Firm Name:			
10.10.2	Firm Address:			
10.10.3	Telephone Number:			
10.10.4	Fax Number:			
10.10.5	E-MAIL ADDRESS:			

FIRM NAME : \_\_\_\_\_

SIGNATURE : \_\_\_\_\_

THAMES VALLEY DISTRICT SCHOOL BOARD  
 TENDER #639 - FITNESS ROOM EQUIPMENT  
 WORKSHEET B - REQUIREMENTS

ITEM NO.	TERMS AND CONDITIONS	WILL COMPLY/WILL NOT COMPLY	COMMENT
<b>B1.0</b>	<b>REQUIREMENTS</b>		
B1.1	Fitness equipment which requires set-up will be delivered, un-crated, crate removed, set in place, and levelled by the successful bidder(s.) Bolt down and service connections will be done by TVDSB tradespeople.		
B1.2	All new products ordered as a result of this tender must include standard safety labels. This cost must be included in your bid submission.		
B1.3	Bidders must state their recommended make and model for each item bid using the following category guidelines for bidding on products in Worksheet C - Pricing:		
B1.3.1	<b>Basic Model</b> (lowest cost), <b>Intermediate Model</b> (mid-range cost with some extras), <b>Advanced Model</b> (top of the line with extras)		
<b>B2.0</b>	<b>ILLUSTRATIVE LITERATURE</b>		
B2.1	Bidders should submit ILLUSTRATIVE and SPECIFICATION INFORMATION for each item they have bid.		
B2.2	Bidders should state if this literature can be obtained directly from the manufacturer via the internet.		
B2.3	Bidders should state the web site addresses for each manufacturer.		
<b>B3.0</b>	<b>TRAINING / SUPPORT/DEMONSTRATION</b>		
B3.1	Installation, training and support services are a consideration in awarding this bid. Include any and all support and implementation services your company will provide, identifying certification relevant to the support role envisioned.		
B3.2	Start up and staff demonstration will be provided by the successful bidder(s) and arranged at a mutually agreeable time. All these costs must be included in your bid submission.		
<b>B4.0</b>	<b>WARRANTY AND MAINTENANCE</b>		
B4.1	Service and warranty is an extremely important consideration in the award of this bid. Bidders <b>must</b> complete the warranty section in Worksheet C.		
B4.2	Bidders <b>must</b> state length of warranty. Bidders must state if warranty includes parts, labour and if the warranty is on-site. If not, bidders must indicate the terms of the warranty. Each piece of equipment <b>must</b> be labelled with date of purchase and warranty expiry date.		

FIRM NAME: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

THAMES VALLEY DISTRICT SCHOOL BOARD  
 TENDER #639 - FITNESS ROOM EQUIPMENT  
 WORKSHEET B - REQUIREMENTS

ITEM NO.	TERMS AND CONDITIONS	WILL COMPLY/WILL NOT COMPLY	COMMENT
B4.2.1	The TVDSB contracts a fitness equipment repair company whose employees have been factory-trained by fitness equipment manufacturers to service and repair a wide range of brands and models of fitness equipment. On-site inspections and repairs are done for the TVDSB by this company on a regular basis in conjunction with the needs of each school for fitness equipment repairs. This company will contact the successful bidder for any warranty issues.		
B4.3	All equipment <b>should</b> be guaranteed for the entire period of the contract you are bidding. The successful bidder(s) must be prepared to exchange all equipment that proves defective during this contract without rewriting the agreement. Machines will be replaced if the number of service calls greatly exceeds those recommended in the machines preventive maintenance schedule or when the successful bidder(s) and the TVDSB recommends replacement due to any other conditions upon mutual agreement.		
B4.4	The TVDSB reserves the right to initiate a survey to measure customers' satisfaction.		

FIRM NAME: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

NO.	DESCRIPTION	QTY.	MAKE/MODEL	UNIT PRICE	STATE LENGTH OF WARRANTY	IS WARRANTY TO BE DONE ON SITE OR UNIT RETURNED TO DEPOT:	COMMENT
<b>CA</b>	<b>SECTION 1: CARDIO EQUIPMENT</b>						
<b>C1</b>	<b>TREADMILL - BASIC MODEL</b>	1					
	<b>Product Features:</b>						
C1.1	Be rated as a minimum light commercial unit. No restrictions on daily hours of use.						
C1.2	Drive motor must be: minimum of 2.0 HP continuous DC or 3 HP AC						
C1.3	Electrical needs should be 110 volt, 15 amp receptical						
C1.4	Safety handrails at front only - side handrails optional						
C1.5	Must have emergency stop controls - button and/or removable detachable key						
C1.6	Incline range, adjustable in .5% increments from 0 to 15%						
C1.7	Speed range, adjustable in .1 mph increments from .5 or 1 to 12 mph or higher						
C1.8	Console should provide at minimum: 4 pre-set programs in addition to QuickStart mode						
C1.9	Heart rate monitoring by touch sensors and/or wireless telemetry, optional						
C1.10	Running surface should be at minimum 20" x 60"						
C1.11	Display should readout a minimum: calories, distance, heart rate (if available), incline, pace, elapsed time and speed. Some displays may require an optional select or shift button						
C1.12	User capacity, up to 350 pounds						
C1.13	<b>Warranty Requirements:</b>						
C1.13.1	No restrictions on daily hours of use						
C1.13.2	Minimum 5 years on frame						
C1.13.3	Minimum 2 years on all parts including mechanical and electrical components						
C1.13.4	Minimum 1 year on labour						
<b>C2</b>	<b>TREADMILL - INTERMEDIATE MODEL</b>	1					
	<b>Product Features:</b>						
C2.1	Be rated as a minimum light commercial unit. No restrictions on daily hours of use.						
C2.2	Drive motor must be: minimum of 2.0 HP continuous DC or 3 HP AC						
C2.3	Electrical needs should be 110 volt, 15 amp receptical						
C2.4	Safety handrails at front only - side handrails optional						
C2.5	Must have emergency stop controls - button and/or removable detachable key						
C2.6	Incline range, adjustable in .5% increments from 0 to 15%						
C2.7	Speed range, adjustable in .1 mph increments from .5 or 1 to 12 mph or higher						
C2.8	Console should provide at minimum: 4 pre-set programs in addition to QuickStart mode						
C2.9	Heart rate monitoring by touch sensors and/or wireless telemetry, optional						
C2.10	Running surface should be at minimum 20" x 60". Deck should be reversible.						

FIRM NAME: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

NO.	DESCRIPTION	QTY.	MAKE/MODEL	UNIT PRICE	STATE LENGTH OF WARRANTY	IS WARRANTY TO BE DONE ON SITE OR UNIT RETURNED TO DEPOT:	COMMENT
C2.11	Display should readout a minimum: calories, distance, heart rate (if available), incline, pace, elapsed time and speed. Some displays may require an optional select or shift button						
C2.12	User capacity, up to 350 pounds						
C2.13	<b>Warranty Requirements:</b>						
C2.13.1	No restrictions on daily hours of use						
C2.13.2	Minimum 5 years on frame						
C2.13.3	Minimum 2 years on all parts including mechanical and electrical components						
C2.13.4	Minimum 1 year on labour						
<b>C3</b>	<b>TREADMILL - ADVANCED MODEL</b>	1					
	<b>Product Features:</b>						
C3.1	Be rated as a full commercial/heavy-duty model. No restrictions on daily hours of use.						
C3.2	Drive motor must be: minimum of 2.0 HP continuous DC or 4 HP AC						
C3.3	Electrical needs should be 110 volt, 20 amp dedicated						
C3.4	Safety handrails at front only - side handrails optional						
C3.5	Must have emergency stop controls						
C3.6	Incline range, adjustable in .5% increments from 0 to 15%						
C3.7	Speed range, adjustable in .1 mph increments from 0 to 12 mph or higher						
C3.8	Premium deck absorption systems						
C3.9	Optional iPod control and charging system						
C3.10	Console should provide a minimum of 10 pre-set programs in addition to QuickStart mode						
C3.11	Heart rate monitoring by touch sensors and/or wireless telemetry						
C3.12	Running surface should be at minimum 20" x 60"						
C3.13	Display should readout at minimum: calories, distance, heart rate, incline, pace, elapsed time and speed. Some displays may require an optional select or shift button						
C3.14	User capacity, up to 350 pounds						
C3.15	<b>Warranty Requirements:</b>						
C3.15.1	No restrictions on daily hours of use						
C3.15.2	Minimum 5 years on frame and motor						
C3.15.3	Minimum 2 years on all mechanical parts						
C3.15.4	Minimum 1 year on electrical parts						
C3.15.5	Minimum 1 year on wear items						
C3.15.6	Minimum 1 year on labour						
<b>C4</b>	<b>ELLIPTICAL/CROSS-TRAINER - BASIC MODEL</b>	1					
	<b>Product Features:</b>						
C4.1	Be rated as a light commercial unit. No restrictions on daily hours of use						
C4.2	Must be self-powered, with no AC connections						
C4.3	Multiple levels of intensity - 20 would be ideal						
C4.4	Fixed pedal positioning with no available stride adjustments						
C4.5	Single or Dual action moving arms						
C4.6	Console should provide a minimum of 4 pre-set programs in addition to QuickStart mode						

FIRM NAME: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

NO.	DESCRIPTION	QTY.	MAKE/MODEL	UNIT PRICE	STATE LENGTH OF WARRANTY	IS WARRANTY TO BE DONE ON SITE OR UNIT RETURNED TO DEPOT:	COMMENT
C4.7	Display should readout at minimum: calories, distance, heart rate, incline, resistance, pace/speed/strides per minute, elapsed time. Some displays may require an optional select or shift button						
C4.8	Resistance is provided through either alternator or generator system						
C4.9	User capacity, up to 350 pounds						
C4.10	<b>Warranty Requirements:</b>						
C4.10.1	Minimum 2 years on all parts including mechanical and electrical components						
C4.10.2	Minimum 1 year on labour						
C4.10.3	Minimum 5 years on frame						
C4.10.4	No restrictions on daily hours of use						
<b>C5</b>	<b>ELLIPTICAL/CROSS-TRAINER - INTERMEDIATE MODEL</b>	1					
	<b>Product Features:</b>						
C5.1	Be rated as a light commercial unit. No restrictions on daily hours of use						
C5.2	Must be self-powered, with no AC connections						
C5.3	Variable levels of intensity (ideally 16+) via alternator or generator systems						
C5.4	Must be able to pedal in forward and reverse						
C5.5	Heart rate monitoring by touch sensors and/or wireless telemetry						
C5.6	Dual action moving arms						
C5.7	Console should provide a minimum of 6 pre-set programs in addition to QuickStart mode						
C5.8	Optional iPod control and charging system						
C5.9	Display should readout at minimum: calories, distance, heart rate, incline, resistance, pace/speed/strides per minute, elapsed time. Some displays may require an optional select or shift button						
C5.10	Resistance is provided through either alternator or generator system						
C5.11	User capacity, up to 350 pounds						
C5.12	Proven commercial track record of low maintenance - references may be required						
C5.13	<b>Warranty Requirements:</b>						
C5.13.1	Minimum 2 years on <b>all</b> parts including mechanical and electrical components						
C5.13.2	Minimum 1 year on labour						
C5.13.3	Minimum 5 years on frame						
C5.13.4	No restrictions on daily hours of use						
<b>C6</b>	<b>ELLIPTICAL/CROSS-TRAINER - ADVANCED MODEL</b>	1					
	<b>Product Features:</b>						
C6.1	Be rated as a light commercial unit - full commercial is ideal. No restrictions on daily hours of use						
C6.2	Must be self-powered, with no AC connections						
C6.3	20 levels of intensity, minimum						
C6.4	Should feature an adjustable incline ramp or adjustable stride lengths						
C6.5	Heart rate monitoring by touch sensors and/or wireless telemetry						
C6.6	Dual action moving arms are optional						

FIRM NAME: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

NO.	DESCRIPTION	QTY.	MAKE/MODEL	UNIT PRICE	STATE LENGTH OF WARRANTY	IS WARRANTY TO BE DONE ON SITE OR UNIT RETURNED TO DEPOT:	COMMENT
C6.7	Console should provide a minimum of 6 pre-set programs in addition to QuickStart mode						
C6.8	Optional iPod control and charging system						
C6.9	Display should readout at minimum: calories, distance, heart rate, incline, resistance, pace/speed/strides per minute, elapsed time. Some displays may require an optional select or shift button						
C6.10	Resistance is provided through either alternator or generator system						
C6.11	User capacity, up to 350 pounds						
C6.12	Proven commercial track record of low maintenance - references may be required						
C6.13	<b>Warranty Requirements:</b>						
C6.13.1	Minimum 2 years on <b>all</b> parts including mechanical and electrical components						
C6.13.2	Minimum 1 year on labour						
C6.13.3	Minimum 5 years on frame						
C6.13.4	No restrictions on daily hours of use						
<b>C7</b>	<b>RECUMBENT EXERCISE BIKE - BASIC MODEL</b>	<b>1</b>					
	<b>Product Features:</b>						
C7.1	Be rated as light commercial - no restrictions on daily hours of use						
C7.2	Be self-powered. No AC connections						
C7.3	Drive train - belt driven						
C7.4	Extra wide pedals to accommodate wide ranges of shoe sizes						
C7.5	Minimum of 20 resistance levels						
C7.6	Minimum of 6 pre-set programs in addition to QuickStart mode. HR programs may require use of chest strap.						
C7.7	Heart rate monitoring by touch sensors and/or wireless telemetry - optional						
C7.8	Display should readout at minimum: calories, distance, heart rate, incline, resistance, pace/speed/strides per minute, elapsed time. Some displays may require an optional select or shift button						
C7.9	Resistance is provided through either alternator or generator system						
C7.10	Accessory holder(s) for water bottle, personal audio devices, etc.						
C7.11	Reading rack built in						
C7.12	User capacity, up to 350 pounds						
C7.13	<b>Warranty Requirements:</b>						
C7.13.1	Frame - 5 years, minimum						
C7.13.2	Parts - 2 years non-wear items						
C7.13.3	Labour - 90 days minimum; 1 year requested						
C7.13.4	Wear Items - 6 months to 1 year						
<b>C8</b>	<b>RECUMBENT EXERCISE BIKE - INTERMEDIATE MODEL</b>	<b>1</b>					
	<b>Product Features:</b>						
C8.1	Be rated as light commercial - no restrictions on daily hours of use						
C8.2	Be self-powered. No AC connections						
C8.3	Drive train - belt driven						
C8.4	Resistance is provided through either alternator or generator system						
C8.5	Extra wide pedals to accommodate wide ranges of shoe sizes						
C8.6	Minimum of 20 resistance levels						
C8.7	Minimum of 6 pre-set programs in addition to QuickStart mode. HR programs may require use of chest strap.						

FIRM NAME: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

NO.	DESCRIPTION	QTY.	MAKE/MODEL	UNIT PRICE	STATE LENGTH OF WARRANTY	IS WARRANTY TO BE DONE ON SITE OR UNIT RETURNED TO DEPOT:	COMMENT
C8.8	Heart rate monitoring by touch sensors and/or wireless telemetry - optional						
C8.9	Display should readout at minimum: calories, distance, heart rate, incline, resistance, pace/speed/strides per minute, elapsed time. Some displays may require an optional select or shift button						
C8.10	Accessory holder(s) for water bottle, personal audio devices, etc.						
C8.11	Reading rack built in						
C8.12	User capacity, up to 350 pounds						
C8.13	<b>Warranty Requirements:</b>						
C8.13.1	Frame - 5 years, minimum						
C8.13.2	Parts - 2 years non-wear items						
C8.13.3	Labour - 1 year requested						
C8.13.4	Wear Items - 1 year minimum						
C8.13.5	No restrictions on daily hours of use						
<b>C9</b>	<b>RECUMBENT EXERCISE BIKE - ADVANCED MODEL</b>	1					
	<b>Product Features:</b>						
C9.1	Be rated as full commercial/heavy-duty model. No restrictions on daily hours of use						
C9.2	Be self-powered. No AC connections						
C9.3	Drive train - belt driven						
C9.4	Extra wide pedals to accommodate wide ranges of shoe sizes						
C9.5	Minimum of 20 resistance levels						
C9.6	Resistance is provided through either alternator or generator system						
C9.7	Minimum of 12 pre-set programs in addition to QuickStart mode. HR programs may require use of chest strap.						
C9.8	Heart rate monitoring by touch sensors and/or wireless telemetry - optional						
C9.9	Display should readout at minimum: calories, distance, heart rate, incline, resistance, pace/speed/strides per minute, elapsed time. Some displays may require an optional select or shift button						
C9.10	Accessory holder(s) for water bottle, personal audio devices, etc.						
C9.11	Reading rack built in						
C9.12	User capacity, up to 350 pounds						
C9.13	Connections for iPod with charging system ideal						
C9.14	<b>Warranty Requirements:</b>						
C9.14.1	Frame - 5 years, minimum						
C9.14.2	Parts - 2 years						
C9.14.3	Labour - 90 days minimum; 1 year requested						
C9.14.4	Wear Items - 6 months						
C9.14.5	No restrictions on daily hours of use						
<b>C10</b>	<b>UPRIGHT EXERCISE BIKE - BASIC MODEL</b>	1					
	<b>Product Features:</b>						
C10.1	Be rated as light commercial - no restrictions on daily hours of use						
C10.2	Be self-powered. No AC connections						
C10.3	Drive train - belt driven						
C10.4	Extra wide pedals to accommodate wide ranges of shoe sizes						
C10.5	Minimum of 20 resistance levels						
C10.6	Minimum of 6 pre-set programs in addition to QuickStart mode. HR programs may require use of chest strap.						

FIRM NAME: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

NO.	DESCRIPTION	QTY.	MAKE/MODEL	UNIT PRICE	STATE LENGTH OF WARRANTY	IS WARRANTY TO BE DONE ON SITE OR UNIT RETURNED TO DEPOT:	COMMENT
C10.7	Heart rate monitoring by touch sensors and/or wireless telemetry - optional						
C10.8	Display should readout at minimum: calories, distance, heart rate, incline, resistance, pace/speed/strides per minute, elapsed time. Some displays may require an optional select or shift button						
C10.9	Resistance is provided through either alternator or generator system						
C10.10	Accessory holder(s) for water bottle, personal audio devices, etc.						
C10.11	Reading rack built in						
C10.12	User capacity, up to 350 pounds						
C10.13	<b>Warranty Requirements:</b>						
C10.13.1	Frame - 5 years, minimum						
C10.13.2	Parts - 2 years on non-wear items						
C10.13.3	Labour - 90 days minimum; 1 year requested						
C10.13.4	Wear Items - 6 months to 1 year						
C10.13.5	No restrictions on daily hours of use						
<b>C11</b>	<b>UPRIGHT EXERCISE BIKE - INTERMEDIATE MODEL</b>	1					
	<b>Product Features:</b>						
C11.1	Be rated as light commercial or higher - no restrictions on daily hours of use						
C11.2	Be self-powered. No AC connections						
C11.3	Drive train - belt driven						
C11.4	Extra wide pedals to accommodate wide ranges of shoe sizes						
C11.5	Minimum of 20 resistance levels						
C11.6	Minimum of 6 pre-set programs in addition to QuickStart mode. HR programs may require use of chest strap.						
C11.7	Heart rate monitoring by touch sensors and/or wireless telemetry - optional						
C11.8	Display should readout at minimum: calories, distance, heart rate, incline, resistance, pace/speed/strides per minute, elapsed time. Some displays may require an optional select or shift button						
C11.9	Resistance is provided through either alternator or generator system						
C11.10	Accessory holder(s) for water bottle, personal audio devices, etc.						
C11.11	Reading rack built in						
C11.12	User capacity, up to 350 pounds						
C11.13	<b>Warranty Requirements:</b>						
C11.13.1	Frame - 5 years, minimum						
C11.13.2	Parts - 2 years on non-wear items						
C11.13.3	Labour - 1 year						
C11.13.4	Wear Items - 1 year minimum						
C11.13.5	No restrictions on daily hours of use						
<b>C12</b>	<b>UPRIGHT EXERCISE BIKE - BEST MODEL</b>	1					
C12.1	Be rated as light commercial or higher - no restrictions on daily hours of use						
C12.2	Be self-powered. No AC connections						
C12.3	Drive train - belt driven						
C12.4	Extra wide pedals to accommodate wide ranges of shoe sizes						
C12.5	Minimum of 20 resistance levels						
C12.6	Minimum of 12 pre-set programs in addition to QuickStart mode. HR programs may require use of chest strap.						

FIRM NAME: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

NO.	DESCRIPTION	QTY.	MAKE/MODEL	UNIT PRICE	STATE LENGTH OF WARRANTY	IS WARRANTY TO BE DONE ON SITE OR UNIT RETURNED TO DEPOT:	COMMENT
C12.7	Heart rate monitoring by touch sensors and/or wireless telemetry - optional						
C12.8	Display should readout at minimum: calories, distance, heart rate, incline, resistance, pace/speed/strides per minute, elapsed time. Some displays may require an optional select or shift button						
C12.9	Resistance is provided through either alternator or generator system						
C12.10	Accessory holder(s) for water bottle, personal audio devices, etc.						
C12.11	Reading rack built in						
C12.12	User capacity, up to 350 pounds						
C12.13	Connections for iPod with charging system ideal						
C12.14	<b>Warranty Requirements:</b>						
C12.14.1	Frame - 5 years, minimum						
C12.14.2	Parts - 2 years						
C12.14.3	Labour - 90 days minimum; 1 year requested						
C12.14.4	Wear Items - 1 year minimum						
C12.14.5	No restrictions on daily hours of use						
<b>C13</b>	<b>STEPPER - INTERMEDIATE MODEL</b>	1					
	<b>Product Features:</b>						
C13.1	Be rated as light to full commercial model - no restrictions on daily hours of use						
C13.2	Be self-powered. No AC connections						
C13.3	Drive train - belt driven						
C13.4	Extra wide pedals to accommodate wide ranges of shoe sizes						
C13.5	Minimum of 20 resistance levels						
C13.6	Minimum of 12 pre-set programs in addition to QuickStart mode. HR programs may require use of chest strap.						
C13.7	Heart rate monitoring by touch sensors and/or wireless telemetry - optional						
C13.8	Display should readout at minimum: calories, distance, heart rate, incline, resistance, pace/speed/strides per minute, elapsed time. Some displays may require an optional select or shift button						
C13.9	Resistance is provided through either alternator or generator system						
C13.10	Accessory holder(s) for water bottle, personal audio devices, etc.						
C13.11	Reading rack built in						
C13.12	User capacity, up to 350 pounds						
C13.13	<b>Warranty Requirements:</b>						
C13.13.1	Frame - 5 years, minimum						
C13.13.2	Parts - 2 years						
C13.13.3	Labour - 1 year						
C13.13.4	Wear Items - 6 months						
C13.13.5	No restrictions on daily hours of use						
<b>C14</b>	<b>STEPPER - ADVANCED MODEL</b>	1					
	<b>Product Features:</b>						
C14.1	Be rated as light to full commercial model - no restrictions on daily hours of use						
C14.2	Be self-powered. No AC connections						
C14.3	Drive train - belt driven						
C14.4	Extra wide pedals to accommodate wide ranges of shoe sizes						
C14.5	Minimum of 25 resistance levels, delivered by either alternator or generator systems						

FIRM NAME: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

NO.	DESCRIPTION	QTY.	MAKE/MODEL	UNIT PRICE	STATE LENGTH OF WARRANTY	IS WARRANTY TO BE DONE ON SITE OR UNIT RETURNED TO DEPOT:	COMMENT
C14.6	Minimum of 12 pre-set programs in addition to QuickStart mode. HR programs may require use of chest strap.						
C14.7	Heart rate monitoring by touch sensors and/or wireless telemetry - optional						
C14.8	Display should readout at minimum: calories, distance, heart rate, incline, resistance, pace/speed/strides per minute, elapsed time. Some displays may require an optional select or shift button						
C14.9	Resistance is provided through either alternator or generator system						
C14.10	Accessory holder(s) for water bottle, personal audio devices, etc.						
C14.11	Reading rack built in						
C14.12	User capacity, up to 350 pounds						
C14.13	<b>Warranty Requirements:</b>						
C14.13.1	Frame - 5 years, minimum						
C14.13.2	Parts - 2 years						
C14.13.3	Labour - 1 year						
C14.13.4	Wear Items - 6 months						
C14.13.5	No restrictions on daily hours of use						
<b>C15</b>	<b>SPINNING CYCLE - BASIC MODEL</b>	1					
	<b>Product Features:</b>						
C15.1	Club rated quality, with no restrictions on daily hours of use.						
C15.2	Drive system featuring over-sized bottom bracket. Chain or belt is acceptable.						
C15.3	Easy to use handlebar and seat adjustments						
C15.4	Seat should move fore and aft as well as vertically						
C15.5	Transport wheels for easy storage and relocation						
C15.6	Standard toe clip and strap pedals						
C15.7	Levelling feet for stability and floor protection						
C15.8	Minimum of one bottle cage, holding up to one litre size bottle						
C15.9	Resistance levels provide infinite variability through mechanical range						
C15.10	Stretch pads providing a non-slip surface						
C15.11	Minimum flywheel weight of 39 lbs.						
C15.12	User capacity, up to 300 pounds						
C15.13	<b>Warranty Requirements:</b>						
C15.13.1	Frame - 5 years						
C15.13.2	Parts - 2 years						
C15.13.3	Labour - 90 days minimum, 1 year requested						
C15.13.4	Wear Items - 90 days minimum, 6 months requested						
C15.13.5	No restrictions on daily hours of use						
<b>C16</b>	<b>SPINNING CYCLE - INTERMEDIATE MODEL</b>	1					
	<b>Product Features:</b>						
C16.1	Club rated quality, with no restrictions on daily hours of use.						
C16.2	Drive system featuring over-sized bottom bracket. Belt driven only						
C16.3	Easy to use handlebar and seat adjustments, with multiple positions						
C16.4	Seat should move fore and aft as well as vertically						
C16.5	Transport wheels for easy storage and relocation						
C16.6	Standard toe clip and strap pedals						
C16.7	Levelling feet for stability and floor protection						
C16.8	Minimum of one bottle cage, holding up to one litre size bottle						
C16.9	Resistance levels provide infinite variability through mechanical range						
C16.10	Stretch pads providing a non-slip surface						

FIRM NAME: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

NO.	DESCRIPTION	QTY.	MAKE/MODEL	UNIT PRICE	STATE LENGTH OF WARRANTY	IS WARRANTY TO BE DONE ON SITE OR UNIT RETURNED TO DEPOT:	COMMENT
C16.11	Minimum flywheel weight of 39 lbs.						
C16.12	User capacity, up to 300 pounds						
C16.13	X-frame construction would be ideal						
C16.14	<b>Warranty Requirements:</b>						
C16.14.1	Frame - 5 years						
C16.14.2	Parts - 3 years on Crank, flywheel, handlebar, handlebar post, and seat post						
C16.14.3	Bottom bracket cartridge, pillowblock or flywheel bearings, tension assembly - 1 year						
C16.14.4	Labour - 90 days minimum, 1 year requested						
C16.14.5	Wear Items - 90 days minimum, 6 months requested (seat, grips, handles, pedal straps and brake pad)						
C16.14.6	No restrictions on daily hours of use						
<b>C17</b>	<b>SPINNING CYCLE - ADVANCED MODEL</b>	1					
	<b>Product Features:</b>						
C17.1	Club rated quality, with no restrictions on daily hours of use.						
C17.2	Drive system featuring over-sized bottom bracket. Belt driven only						
C17.3	Easy to use handlebar and seat adjustments, with micro adjustable positions						
C17.4	Seat should move fore and aft as well as vertically						
C17.5	Transport wheels for easy storage and relocation						
C17.6	Standard toe clip and strap pedals						
C17.7	Levelling feet for stability and floor protection						
C17.8	Minimum of one bottle cage, holding up to one litre size bottle						
C17.9	Resistance levels provide infinite variability through mechanical range						
C17.10	Stretch pads providing a non-slip surface						
C17.11	Minimum flywheel weight of 47 lbs.						
C17.12	User capacity, up to 300 pounds						
C17.13	X-frame construction would be ideal						
C17.14	<b>Warranty Requirements:</b>						
C17.14.1	Frame - 5 years						
C17.14.2	Parts - 3 years on Crank, flywheel, handlebar, handlebar post, and seat post						
C17.14.3	Bottom bracket cartridge, pillowblock or flywheel bearings, tension assembly - 1 year						
C17.14.4	Labour - 90 days minimum, 1 year requested						
C17.14.5	Wear Items - 90 days minimum, 6 months requested (seat, grips, handles, pedal straps and brake pad)						
C17.14.6	No restrictions on daily hours of use						
<b>C18</b>	<b>ERGOMETER/ROWING MACHINE</b>	1					
	<b>Product Features:</b>						
C18.1	Performance monitor						
C18.2	Flywheel design to minimize noise						
C18.3	Damper controls to adjust feel of pull						
C18.4	Aluminum rail with stainless steel track for seat						
C18.5	Flexible foot rests with adjustments for length and width of shoe.						
C18.6	Transport wheels for easy storage and relocation						
C18.7	No restrictions on daily hours of use						
C18.8	<b>Warranty Requirements:</b>						
C18.8.1	Frame - 5 years						

FIRM NAME: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

NO.	DESCRIPTION	QTY.	MAKE/MODEL	UNIT PRICE	STATE LENGTH OF WARRANTY	IS WARRANTY TO BE DONE ON SITE OR UNIT RETURNED TO DEPOT:	COMMENT
C18.8.2	Monitor and moving parts - 2 years						
C18.8.3	No restrictions on daily hours of use						
<b>C19</b>	<b>JACOBS LADDER</b>	1					
	<b>Product Features:</b>						
C19.1	Self-powered and self-paced						
C19.2	40 degree climbing angle						
C19.3	Height adjustment to accommodate all sizes						
C19.4	Climbing rungs of solid maple						
C19.5	Welded tubular steel frame						
C19.6	Console displays elapsed time, calories burned, heart rate, feet climbed and rate of climb in feet/minute						
C19.7	Transport wheels for mobility and pads to protect floor						
C19.8	No restrictions on daily hours of use						
<b>C20</b>	<b>AMT, ADAPTIVE MOTION TRAINER</b>	1					
	<b>Product Features:</b>						
C20.1	Adjustable stride length based on user workout, without control settings						
C20.2	Dual action providing upper and lower body workouts						
C20.3	Movement optimized through oversized bearings						
C20.4	Rear step up platform for easy access to pedals						
C20.5	Self-powered unit with no A/C connections						
C20.6	Belt driven drive train for quiet, smooth operations						
C20.7	Minimum of 10 pre-set programs, along with QuickStart function						
C20.8	Transport wheels to allow for in-room movement and relocation						
C20.9	User capacity up to 350 lbs.						
C20.10	No restrictions on daily hours of use						
C20.11	Display should readout at minimum: calories, distance, heart rate, incline, resistance, pace/speed/strides per minute, elapsed time. Some displays may require an optional select or shift button						
C20.12	Heart rate monitoring by touch sensors and/or wireless telemetry, optional						
C20.13	<b>Warranty Requirements:</b>						
C20.13.1	Labour - 1 year						
C20.13.2	2 years on all mechanical and electrical components						
C20.13.3	Frame - Minimum 5 years						
C20.13.4	1 year on wear items - 3 months on any high wear items, such as iPod connector or USB ports						
C20.13.5	No restrictions on daily hours of use						
<b>C21</b>	<b>SUMMIT TRAINER</b>	1					
	<b>Product Features:</b>						
C21.1	User defined stride length up to 26"						
C21.2	Dual action providing upper and lower body workouts						
C21.3	Rear step up platform for easy access to pedals						
C21.4	Self-powered unit with no A/C connections						
C21.5	Belt driven drive train for quiet, smooth operations						
C21.6	Minimum of 10 pre-set programs, along with QuickStart function						
C21.7	Transport wheels to allow for in-room movement and relocation						
C21.8	User capacity up to 350 lbs.						
C21.9	No restrictions on daily hours of use						

FIRM NAME: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

NO.	DESCRIPTION	QTY.	MAKE/MODEL	UNIT PRICE	STATE LENGTH OF WARRANTY	IS WARRANTY TO BE DONE ON SITE OR UNIT RETURNED TO DEPOT:	COMMENT
C21.10	Display should readout at minimum: calories, distance, heart rate, incline, resistance, pace/speed/strides per minute, elapsed time. Some displays may require an optional select or shift button						
C21.11	12" integrated LCD w/touch screen technology. Built in reading rack						
C21.12	Accessory holder(s) for water bottle, personal audio devices, etc.						
C21.13	Heart rate monitoring by touch sensors and/or wireless telemetry, optional						
C21.14	No restrictions on daily hours of use						
C21.15	<b>Warranty Requirements:</b>						
C21.15.1	1 year on labour						
C21.15.2	Minimum of 2 years on all parts						
C21.15.3	No restrictions on hours of use						
<b>CB</b>	<b>SECTION 2: STRENGTH EQUIPMENT - SINGLE/DUAL STATIONS - PLATED LOADED STATIONS - (INTERMEDIATE MODELS REQUIRED)</b>						
<b>C22</b>	<b>DECLINE PRESS:</b>	1					
	<b>Product Features:</b>						
C22.1	Plate loaded independent exercise arm action						
C22.2	Movement causes adduction of the arms at a decline angle						
C22.3	Neutral position hand grips						
C22.4	6 lb. starting resistance						
C22.5	Built-in weight horns						
C22.6	11 gauge steel frame						
C22.7	<b>Warranty Requirements:</b>						
C22.7.1	10 year limited warranty on frame						
C22.7.2	5 years on pillow blocks						
C22.7.3	1 year on hardware						
C22.7.4	90 days on upholstery						
<b>C23</b>	<b>INCLINE PRESS:</b>	1					
	<b>Product Features:</b>						
C23.1	Adjustable padded seat and padded back						
C23.2	Independent exercise arm action						
C23.3	Movement arms rotate and move independently						
C23.4	Movement causes adduction of the arms						
C23.5	Neutral position hand grips						
C23.6	Built-in weight horns						
C23.7	Starting resistance 8 lbs.						
C23.8	11 gauge steel frame						
C23.9	Plate loaded machine						
C23.10	<b>Warranty Requirements:</b>						
C23.10.1	10 year limited warranty on frame						
C23.10.2	5 years on pillow blocks						
C23.10.3	1 year on hardware						
C23.10.4	90 days on upholstery						
<b>C24</b>	<b>BENCH PRESS:</b>	1					
	<b>Product Features:</b>						

FIRM NAME: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

NO.	DESCRIPTION	QTY.	MAKE/MODEL	UNIT PRICE	STATE LENGTH OF WARRANTY	IS WARRANTY TO BE DONE ON SITE OR UNIT RETURNED TO DEPOT:	COMMENT
C24.1	Adjustable padded seat						
C24.2	Independent exercise arm action						
C24.3	Movement arms rotate and move independently						
C24.4	Movement causes adduction of the arms						
C24.5	Neutral position hand grips						
C24.6	Built-in weight horns						
C24.7	Starting resistance 7 lbs.						
C24.8	11 gauge steel frame						
C24.9	Plate loaded machine						
C24.10	<b>Warranty Requirements:</b>						
C24.10.1	10 year limited warranty on frame						
C24.10.2	5 years on pillow blocks						
C24.10.3	1 year on hardware						
C24.10.4	90 days on upholstery						
<b>C25</b>	<b>SUPER INCLINE PRESS:</b>	<b>1</b>					
	<b>Product Features:</b>						
C25.1	Range of motion is between the Shoulder Press and Incline Press						
C25.2	Independent exercise arm action						
C25.3	Movement arms rotate and move independently						
C25.4	Movement causes adduction of the arms						
C25.5	Adjustable padded seat						
C25.6	Built-in weight horns						
C25.7	Starting resistance 11 lbs.						
C25.8	11 gauge steel frame						
C25.9	Plate loaded machine						
C25.10	Neutral position hand grips						
C25.11	<b>Warranty Requirements:</b>						
C25.11.1	10 year limited warranty on frame						
C25.11.2	5 years on pillow blocks						
C25.11.3	1 year on hardware						
C25.11.4	90 days on upholstery						
<b>C26</b>	<b>WIDE CHEST PRESS:</b>	<b>1</b>					
	<b>Product Features:</b>						
C26.1	Adjustable padded seat						
C26.2	Movement arms start off wide and rotate inwards through press motion						
C26.3	Built-in weight horns						
C26.4	Starting resistance 2 lbs.						
C26.5	11 gauge steel frame						
C26.6	Plate loaded machine						
C26.7	Instructional Placard						
C26.8	<b>Warranty Requirements:</b>						
C26.8.1	10 year limited warranty on frame						
C26.8.2	5 years on pillow blocks						
C26.8.3	1 year on hardware						
C26.8.4	90 days on upholstery						
<b>C27</b>	<b>HORIZONTAL BENCH PRESS:</b>	<b>1</b>					
	<b>Product Features:</b>						
C27.1	Traditional bench press position						

FIRM NAME: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

NO.	DESCRIPTION	QTY.	MAKE/MODEL	UNIT PRICE	STATE LENGTH OF WARRANTY	IS WARRANTY TO BE DONE ON SITE OR UNIT RETURNED TO DEPOT:	COMMENT
C27.2	Movement arms rotate and move independently						
C27.3	Built-in weight horns						
C27.4	Starting resistance 18 lbs.						
C27.5	11 gauge steel frame						
C27.6	Plate loaded machine						
C27.7	Instructional Placard						
C27.8	Back pad is angled at 5 degrees						
C27.9	<b>Warranty Requirements:</b>						
C27.9.1	10 year limited warranty on frame						
C27.9.2	5 years on pillow blocks						
C27.9.3	1 year on hardware						
C27.9.4	90 days on upholstery						
<b>C28</b>	<b>LATERAL ROW:</b>	1					
	<b>Product Features:</b>						
C28.1	Plate loaded independent exercise arm action						
C28.2	Multiple grip options						
C28.3	Additional handles for stabilization during one arm exercise						
C28.4	Starting resistance 12 lbs.						
C28.5	11 gauge steel frame						
C28.6	<b>Warranty Requirements:</b>						
C28.6.1	10 year limited warranty on frame						
C28.6.2	5 years on pillow blocks						
C28.9.3	1 year on hardware						
C28.9.4	90 days on upholstery						
<b>C29</b>	<b>LATERAL LOW ROW:</b>	1					
	<b>Product Features:</b>						
C29.1	Plate loaded independent exercise arm action						
C29.2	Neutral grip						
C29.3	Additional handle for stabilization during one arm exercise						
C29.4	Path motion is opposite of decline press						
C29.5	Starting resistance 8 lbs.						
C29.6	11 gauge steel frame						
C29.7	<b>Warranty Requirements:</b>						
C29.7.1	10 year limited warranty on frame						
C29.7.2	5 years on pillow blocks						
C29.7.3	1 year on hardware						
C29.7.4	90 days on upholstery						
<b>C30</b>	<b>LATERAL SHOULDER PRESS:</b>	1					
	<b>Product Features:</b>						
C30.1	Adjustable padded seat with seat belt						
C30.2	Back pad is angled at 40 degrees						
C30.3	Built-in weight horns						
C30.4	Starting resistance 10 lbs.						
C30.5	Instructional Placard						
C30.6	11 gauge steel frame						
C30.7	Plate loaded machine						
C30.8	<b>Warranty Requirements:</b>						
C30.8.1	10 year limited warranty on frame						
C30.8.2	5 years on pillow blocks						

FIRM NAME: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

NO.	DESCRIPTION	QTY.	MAKE/MODEL	UNIT PRICE	STATE LENGTH OF WARRANTY	IS WARRANTY TO BE DONE ON SITE OR UNIT RETURNED TO DEPOT:	COMMENT
C30.8.3	1 year on hardware						
C30.8.4	90 days on upholstery						
<b>C31</b>	<b>LATERAL FRONT PULLDOWN:</b>	<b>1</b>					
	<b>Product Features:</b>						
C31.1	Adjustable padded seat						
C31.2	Adjustable thigh pad to keep user in stable position						
C31.3	Underhand/neutral grip						
C31.4	Built-in standard weight horns						
C31.5	Starting resistance- 1 lb.						
C31.6	Plate loaded machine						
C31.7	11 gauge steel frame						
C31.8	<b>Warranty Requirements:</b>						
C31.8.1	10 year limited warranty on frame						
C31.8.2	5 years on pillow blocks						
C31.8.3	1 year on hardware						
C31.8.4	90 days on upholstery						
<b>C32</b>	<b>LATERAL HIGH ROW:</b>	<b>1</b>					
	<b>Product Features:</b>						
C32.1	Adjustable seat and thigh pad to keep user in stable position						
C32.2	Neutral hand grips						
C32.3	Built-in standard weight horns						
C32.4	Starting resistance- 2 lbs.						
C32.5	Plate loaded machine						
C32.6	11 gauge steel frame						
C32.7	Independent movement arms rotate back, down and out						
C32.8	Additional handle provided to allow user stabilization during one-arm exercises						
C32.9	<b>Warranty Requirements:</b>						
C32.9.1	10 year limited warranty on frame						
C32.9.2	5 years on pillow blocks						
C32.9.3	1 year on hardware						
C32.9.4	90 days on upholstery						
<b>C33</b>	<b>LATERAL WIDE PULLDOWN:</b>	<b>1</b>					
	<b>Product Features:</b>						
C33.1	Machine utilizes a "Double Iso-Lateral" configuration						
C33.2	Pivots are angled in two planes						
C33.3	Adjustable seat and thigh pad to keep user in stable position						
C33.4	Built-in weight horns						
C33.5	Starting resistance 2 lbs.						
C33.6	11 gauge steel frame						
C33.7	Plate loaded machine						
C33.8	<b>Warranty Requirements:</b>						
C33.8.1	10 year limited warranty on frame						
C33.8.2	5 years on pillow blocks						
C33.8.3	1 year on hardware						
C33.8.4	90 days on upholstery						
<b>C34</b>	<b>KNEELING LEG CURL:</b>	<b>1</b>					
	<b>Product Features:</b>						
C34.1	Plate loaded independent exercise leg action						

FIRM NAME: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

NO.	DESCRIPTION	QTY.	MAKE/MODEL	UNIT PRICE	STATE LENGTH OF WARRANTY	IS WARRANTY TO BE DONE ON SITE OR UNIT RETURNED TO DEPOT:	COMMENT
C34.2	Divergent angle between hip and leg pads						
C34.3	8 lbs. starting resistance						
C34.4	Built-in weight horns						
C34.5	11 gauge steel frame						
C34.6	<b>Warranty Requirements:</b>						
C34.6.1	10 year limited warranty on frame						
C34.6.2	5 years on pillow blocks						
C34.6.3	1 year on hardware						
C34.6.4	90 days on upholstery						
<b>C35</b>	<b>ISO-LATERAL LEG EXTENSION:</b>	<b>1</b>					
	<b>Product Features:</b>						
C35.1	Two resistance loading positions						
C35.2	Plate loaded independent exercise leg action						
C35.3	Standard range limiter						
C35.4	2 lbs. starting resistance						
C35.5	Built-in weight horns						
C35.6	11 gauge steel frame						
C35.7	<b>Warranty Requirements:</b>						
C35.7.1	10 year limited warranty on frame						
C35.7.2	5 years on pillow blocks						
C35.7.3	1 year on hardware						
C35.7.4	90 days on upholstery						
<b>C36</b>	<b>LEG EXTENSION:</b>	<b>1</b>					
	<b>Product Features:</b>						
C36.1	Plate loaded dependent exercise leg action						
C36.2	7 lbs. starting resistance						
C36.3	Built-in weight horns						
C36.4	11 gauge steel frame						
C36.5	Instructional Placard						
C36.6	<b>Warranty Requirements:</b>						
C36.6.1	10 year limited warranty on frame						
C36.6.2	5 years on pillow blocks						
C36.6.3	1 year on hardware						
C36.6.4	90 days on upholstery						
<b>C37</b>	<b>LATERAL LEG PRESS:</b>	<b>1</b>					
	<b>Product Features:</b>						
C37.1	Independent exercise leg action						
C37.2	Legs move in diverging arc of motion for optimal lower limb biomechanics						
C37.3	Seat is to be angled at 35 degrees and adjust in 1/2" increments						
C37.4	Footplate maintains angle flexion at 90 degrees throughout range of motion						
C37.5	Dual weight loading horns on each movement arm						
C37.6	Starting resistance 18 lbs.						
C37.7	11 gauge steel frame						
C37.8	Plate loaded machine						
C37.9	Instructional Placard						
C37.10	<b>Warranty Requirements:</b>						
C37.10.1	10 year limited warranty on frame						

FIRM NAME: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

NO.	DESCRIPTION	QTY.	MAKE/MODEL	UNIT PRICE	STATE LENGTH OF WARRANTY	IS WARRANTY TO BE DONE ON SITE OR UNIT RETURNED TO DEPOT:	COMMENT
C37.10.2	5 years on pillow blocks						
C37.10.3	1 year on hardware						
C37.10.4	90 days on upholstery						
<b>C38</b>	<b>LEG PRESS:</b>	1					
	<b>Product Features:</b>						
C38.1	Set is angled at 35 degrees and adjusts in 1/2" increments						
C38.2	Footplate maintains angle flexion at 90 degrees throughout the entire movement						
C38.3	21 lbs. starting resistance						
C38.4	11 gauge steel frame						
C38.5	Built-in weight horns						
C38.6	Instructional Placard						
C38.7	Plate loaded machine						
C38.10	<b>Warranty Requirements:</b>						
C38.10.1	10 year limited warranty on frame						
C38.10.2	5 years on pillow blocks						
C38.10.3	1 year on hardware						
C38.10.4	90 days on upholstery						
<b>C39</b>	<b>LATERAL RAISE:</b>	1					
	<b>Product Features:</b>						
C39.1	Lateral raise motion is targeted						
C39.2	1 lb. starting resistance						
C39.3	11 gauge steel frame						
C39.4	Built-in weight horns						
C39.5	Instructional Placard						
C39.6	Plate loaded machine						
C39.7	<b>Warranty Requirements:</b>						
C39.7.1	10 year limited warranty on frame						
C39.7.2	5 years on pillow blocks						
C39.7.3	1 year on hardware						
C39.7.4	90 days on upholstery						
<b>C40</b>	<b>SEATED DIP:</b>	1					
	<b>Product Features:</b>						
C40.1	Exercise can be performed facing in or facing out						
C40.2	Adjustable thigh pad for stability						
C40.3	4 lbs. starting resistance						
C40.4	11 gauge steel frame						
C40.5	Built-in weight horns						
C40.6	Instructional Placard						
C40.7	Plate loaded machine						
C40.8	<b>Warranty Requirements:</b>						
C40.8.1	10 year limited warranty on frame						
C40.8.2	5 years on pillow blocks						
C40.8.3	1 year on hardware						
C40.8.4	90 days on upholstery						
<b>C41</b>	<b>SEATED BICEP:</b>	1					
	<b>Product Features:</b>						

FIRM NAME: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

NO.	DESCRIPTION	QTY.	MAKE/MODEL	UNIT PRICE	STATE LENGTH OF WARRANTY	IS WARRANTY TO BE DONE ON SITE OR UNIT RETURNED TO DEPOT:	COMMENT
C41.1	Traditional preacher curl position with counterbalanced work arm						
C41.2	Adjustable padded seat and padded arm rest						
C41.3	Adjustable rotating handles						
C41.4	11 gauge steel frame						
C41.5	Built-in weight horns						
C41.6	Instructional Placard						
C41.7	Plate loaded machine						
C41.8	Starting resistance 4 lbs.						
C41.9.	<b>Warranty Requirements:</b>						
C41.9.1	10 year limited warranty on frame						
C41.9.2	5 years on pillow blocks						
C41.9.3	1 year on hardware						
C41.9.4	90 days on upholstery						
<b>C42</b>	<b>SEATED/STANDING SHRUG:</b>	<b>1</b>					
	<b>Product Features:</b>						
C42.1	Machine design allows user to perform either seated or standing exercise						
C42.2	Adjustable padded seat						
C42.3	Neutral grip handles						
C42.4	11gauge steel frame						
C42.5	Built-in weight horns						
C42.6	Instructional Placard						
C42.7	Plate loaded machine						
C42.8	Starting resistance 25 lbs.						
C42.9	<b>Warranty Requirements:</b>						
C42.9.1	10 year limited warranty on frame						
C42.9.2	5 years on pillow blocks						
C42.9.3	1 year on hardware						
C42.9.4	90 days on upholstery						
<b>C43</b>	<b>BASE JAMMER:</b>	<b>1</b>					
	<b>Product Features:</b>						
C43.1	Independent exercise arm action						
C43.2	Movement arms rotate and move independently						
C43.3	Neutral position grip handles						
C43.4	11 gauge steel frame						
C43.5	Built-in weight horns						
C43.6	Instructional Placard						
C43.7	Plate loaded machine						
C43.8	Angle of frame designed so that users can simultaneously extend angles, knees, and hips against resistance while maintaining a sport-specific body angle						
C43.9	Movement causes adduction of the arms						
C43.10	<b>Warranty Requirements:</b>						
C43.10.1	10 year limited warranty on frame						
C43.10.2	5 years on pillow blocks						
C43.10.3	1 year on hardware						
C43.10.4	90 days on upholstery						
<b>C44</b>	<b>SQUAT LUNGE:</b>	<b>1</b>					

FIRM NAME: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

NO.	DESCRIPTION	QTY.	MAKE/MODEL	UNIT PRICE	STATE LENGTH OF WARRANTY	IS WARRANTY TO BE DONE ON SITE OR UNIT RETURNED TO DEPOT:	COMMENT
	<b>Product Features:</b>						
C44.1	Dependent arm action						
C44.2	Frame and movement design allows user to perform different exercises such as squat, lunge, deadlift and shrug						
C44.3	Different strength curves available by utilizing two different loading points and two handle positions						
C44.4	11 gauge steel frame						
C44.5	Built-in weight horns						
C44.6	Instructional Placard						
C44.7	Plate loaded machine						
C44.8	<b>Warranty Requirements:</b>						
C44.8.1	10 year limited warranty on frame						
C44.8.2	5 years on pillow blocks						
C44.8.3	1 year on hardware						
C44.8.4	90 days on upholstery						
<b>C45</b>	<b>COMBO INCLINE/HIGH ROW:</b>	<b>1</b>					
	<b>Product Features:</b>						
C45.1	Exercise performed in a standing position						
C45.2	Combines an incline press and high row movement						
C45.3	Loading at opposite points allows user to perform a twist motion in an incline plane						
C45.4	11 gauge steel frame						
C45.5	Built-in weight horns						
C45.6	Instructional Placard						
C45.7	Plate loaded machine						
C45.8	Starting resistance 1 lb.						
C45.9	<b>Warranty Requirements:</b>						
C45.9.1	10 year limited warranty on frame						
C45.9.2	5 years on pillow blocks						
C45.9.3	1 year on hardware						
C45.9.4	90 days on upholstery						
<b>C46</b>	<b>COMBO INCLINE/DECLINE PRESS:</b>	<b>1</b>					
	<b>Product Features:</b>						
C46.1	Exercise performed in a standing position						
C46.2	Combines an decline press and low row movement						
C46.3	Loading at opposite points allows user to perform a twist motion in an decline plane						
C46.4	Handle provided to allow user stabilization during one-arm exercises						
C46.5	11 gauge steel frame						
C46.6	Built-in weight horns						
C46.7	Instructional Placard						
C46.8	Starting resistance 2 lbs.						
C46.9	<b>Warranty Requirements:</b>						
C46.9.1	10 year limited warranty on frame						
C46.9.2	5 years on pillow blocks						
C46.9.3	1 year on hardware						
C46.9.4	90 days on upholstery						
<b>C47</b>	<b>SMITH MACHINE:</b>	<b>1</b>					

FIRM NAME: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

NO.	DESCRIPTION	QTY.	MAKE/MODEL	UNIT PRICE	STATE LENGTH OF WARRANTY	IS WARRANTY TO BE DONE ON SITE OR UNIT RETURNED TO DEPOT:	COMMENT
	<b>Product Features:</b>						
C47.1	Horizontal bar positioning						
C47.2	Guide rods angled at 7 degrees						
C47.3	Bar to be counterbalanced to 15 lbs.						
C47.4	Dual safety catches						
C47.5	11 gauge steel frame						
C47.6	Built-in weight horns						
C47.7	Instructional Placard and safety card						
C47.8	Enclosed linear bearings						
C47.9	<b>Warranty Requirements:</b>						
C47.9.1	10 year limited warranty on frame						
C47.9.2	5 years on pillow blocks						
C47.9.3	1 year on hardware						
C47.9.4	90 days on upholstery						
<b>C48</b>	<b>ANGLED LEG PRESS (PLATE LOADED):</b>	<b>1</b>					
	<b>Product Features:</b>						
C48.1	45 degree incline angle						
C48.2	Linear bearings for smooth action						
C48.3	Adjustable seat back						
C48.4	Oversized foot plate						
C48.5	Minimum 11 gauge, tubular steel frame						
C48.6	Electro-static, powder coated finish						
C48.7	Premium grade upholstery with double-layer slipcover in appropriate high wear areas. All seams are double stitched.						
C48.8	Oversized bearings are self-aligning, sealed and run on hardened shafts						
C48.9	Bolts are minimum of Grade 5 Zinc						
C48.10	Plate horns are included						
C48.11	Appropriate safety lockouts and catches to prevent injury						
C48.12	<b>Warranty Requirements:</b>						
C48.12.1	Labour - 1 year requested						
C48.12.2	Structural steel frame - lifetime						
C48.12.3	Rotary bearings, weight stacks, pulleys, guide rods and structural moving parts - 5 years						
C48.12.4	Cables, linear bearings and springs - 1 year						
C48.12.5	Wear items (grips, upholstery, etc.) - 90 days minimum						
<b>C49</b>	<b>ANGLED LEG PRESS (PLATE LOADED):</b>	<b>1</b>					
	<b>Product Features:</b>						
C49.1	Less than 45 degree incline angle						
C49.2	Angled head pad						
C49.3	Oversized footplate for safety in motion						
C49.4	Linear bearings for smooth action						
C49.5	Easily adjusted for body height and various sized users						
C49.6	Minimum 11 gauge, tubular steel frame						
C49.7	Electro-static, powder coated finish						
C49.8	Premium grade upholstery with double-layer slipcover in appropriate high wear areas. All seams are double stitched.						
C49.9	Plate horns are included						
C49.10	Appropriate safety lockouts and catch points						

FIRM NAME: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

NO.	DESCRIPTION	QTY.	MAKE/MODEL	UNIT PRICE	STATE LENGTH OF WARRANTY	IS WARRANTY TO BE DONE ON SITE OR UNIT RETURNED TO DEPOT:	COMMENT
C49.11	<b>Warranty Requirements:</b>						
C49.11.1	Labour - 1 year requested						
C49.11.2	Structural steel frame - lifetime						
C49.11.3	Rotary bearings, weight stacks, pulleys, guide rods and structural moving parts - 5 years						
C49.11.4	Cables, linear bearings and springs - 1 year						
C49.11.5	Wear items (grips, upholstery, etc.) - 90 days minimum						
<b>CC</b>	<b>SECTION 3: STRENGTH EQUIPMENT - SINGLE/DUAL STATIONS - SELECTORIZED - (INTERMEDIATE OR ADVANCED MODELS REQUIRED)</b>						
<b>C50</b>	<b>CHEST PRESS:</b>	1					
	<b>Product Features:</b>						
C50.1	SelectORIZED machine that targets chest muscle group						
C50.2	Oversized grips to allow multiple positions						
C50.3	Easily adjusted seat and back positions						
C50.4	Minimum 200 lbs. stack						
C50.5	Optional, built-in add-on weight selector ideal for 5, 10 and 15 lb. increments						
C50.6	11 gauge steel frame						
C50.7	Nylon coated cables or kevlar belt						
C50.8	Full front and back weight stack shroud						
C50.9	Premium upholstery that meets or exceeds fire regulations						
C50.10	Instructional placard						
C50.11	<b>Warranty Requirements:</b>						
C50.11.1	10 year limited warranty on frame						
C50.11.2	5 years on pillow blocks						
C50.11.3	1 year on hardware						
C50.11.4	90 days on upholstery						
C50.11.5	1 year on labour requested						
<b>C51</b>	<b>PEC FLY:</b>	1					
	<b>Product Features:</b>						
C51.1	SelectORIZED unit with moving arms that targets pec muscle group						
C51.2	Adjustable range of motion in variable-degree increments						
C51.3	Oversized grips to allow multiple positions						
C51.4	Minimum 200 lbs. stack						
C51.5	Optional, built-in add-on weight selector ideal for 5, 10 and 15 lb. increments						
C51.6	11 gauge steel frame						
C51.7	Nylon coated cables or kevlar belt						
C51.8	Full front and back weight stack shroud						
C51.9	Premium upholstery that meets or exceeds fire regulations						
C51.10	Instructional placard						
C51.11	Easy seat and/or back adjustments						
C51.12	<b>Warranty Requirements:</b>						
C51.12.1	10 year limited warranty on frame						
C51.12.2	5 years on pillow blocks						

FIRM NAME: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

NO.	DESCRIPTION	QTY.	MAKE/MODEL	UNIT PRICE	STATE LENGTH OF WARRANTY	IS WARRANTY TO BE DONE ON SITE OR UNIT RETURNED TO DEPOT:	COMMENT
C51.12.3	1 year on hardware						
C51.12.4	90 days on upholstery						
C51.12.5	1 year on labour requested						
<b>C52</b>	<b>ROW/REAR DELT:</b>	1					
	<b>Product Features:</b>						
C52.1	Selectorized unit that duals as chest supported row and rear delt						
C52.2	Multiple grips for various exercises						
C52.3	Adjustable chest support pad						
C52.4	Diverging exercise arm movement						
C52.5	Optional, built-in add-on weight selector ideal for 5, 10 and 15 lb. increments						
C52.6	11 gauge steel frame						
C52.7	Nylon coated cables or kevlar belt						
C52.8	Full front and back weight stack shroud						
C52.9	Premium upholstery that meets or exceeds fire regulations						
C52.10	Instructional placard						
C52.11	Minimum 200 lbs. stack						
C52.12	<b>Warranty Requirements:</b>						
C52.12.1	10 year limited warranty on frame						
C52.12.2	5 years on pillow blocks						
C52.12.3	1 year on hardware						
C52.12.4	90 days on upholstery						
C52.12.5	1 year on labour requested						
<b>C53</b>	<b>SHOULDER PRESS:</b>	1					
	<b>Product Features:</b>						
C53.1	Selectorized machine utilizing vertical press movement while user is seated						
C53.2	Neutral and pronated hand grips for various exercises						
C53.3	Adjustable seat position to accommodate user heights						
C53.4	Dependent exercise arm movement						
C53.5	Optional, built-in add-on weight selector ideal for 5, 10 and 15 lb. increments						
C53.6	11 gauge steel frame						
C53.7	Nylon coated cables or kevlar belt						
C53.8	Full front and back weight stack shroud						
C53.9	Premium upholstery that meets or exceeds fire regulations						
C53.10	Instructional placard						
C53.11	Minimum 200 lbs. stack						
C53.12	<b>Warranty Requirements:</b>						
C53.12.1	10 year limited warranty on frame						
C53.12.2	5 years on pillow blocks						
C53.12.3	1 year on hardware						
C53.12.4	90 days on upholstery						
C53.12.5	1 year on labour requested						
<b>C54</b>	<b>LATERAL RAISE:</b>	1					
	<b>Product Features:</b>						
C54.1	Selectorized machine targeting the lateral muscle group						
C54.2	Pad positions stimulate middle deltoid muscle						
C54.3	Pivoting handles accommodate users of various heights						
C54.4	Counter-balance work arms for lower starting resistance						

FIRM NAME: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

NO.	DESCRIPTION	QTY.	MAKE/MODEL	UNIT PRICE	STATE LENGTH OF WARRANTY	IS WARRANTY TO BE DONE ON SITE OR UNIT RETURNED TO DEPOT:	COMMENT
C54.5	Optional, built-in add-on weight selector ideal for 5, 10 and 15 lb. increments						
C54.6	11 gauge steel frame						
C54.7	Nylon coated cables or kevlar belt						
C54.8	Full front and back weight stack shroud						
C54.9	Premium upholstery that meets or exceeds fire regulations						
C54.10	Instructional placard						
C54.11	Minimum 200 lbs. stack						
C54.12	<b>Warranty Requirements:</b>						
C54.12.1	10 year limited warranty on frame						
C54.12.2	5 years on pillow blocks						
C54.12.3	1 year on hardware						
C54.12.4	90 days on upholstery						
C54.12.5	1 year on labour requested						
<b>C55</b>	<b>PULLDOWN:</b>	1					
	<b>Product Features:</b>						
C55.1	SelectORIZED machine with diverging handles or work arms that create a natural and downward pulling exercise						
C55.2	Thigh pad for stabilization of the exerciser						
C55.3	Optional, built-in add-on weight selector ideal for 5, 10 and 15 lb. increments						
C55.4	11 gauge steel frame						
C55.5	Nylon coated cables or kevlar belt						
C55.6	Full front and back weight stack shroud						
C55.7	Premium upholstery that meets or exceeds fire regulations						
C55.8	Instructional placard						
C55.9	Minimum 200 lbs. stack						
C55.10	<b>Warranty Requirements:</b>						
C55.10.1	10 year limited warranty on frame						
C55.10.2	5 years on pillow blocks						
C55.10.3	1 year on hardware						
C55.10.4	90 days on upholstery						
C55.10.5	1 year on labour requested						
<b>C56</b>	<b>BICEP CURL:</b>	1					
	<b>Product Features:</b>						
C56.1	SelectORIZED machine that replicates the traditional Preacher Curl exercise						
C56.2	Features either a fixed work arm position or independent arm action						
C56.3	Optional, built-in add-on weight selector ideal for 5, 10 and 15 lb. increments						
C56.4	11 gauge steel frame						
C56.5	Nylon coated cables or kevlar belt						
C56.6	Full front and back weight stack shroud						
C56.7	Premium upholstery that meets or exceeds fire regulations						
C56.8	Instructional placard						
C56.9	Minimum 200 lbs. stack						
C56.10	Easily adjustable seat and arm pad positioning						
C56.11	<b>Warranty Requirements:</b>						
C56.11.1	10 year limited warranty on frame						
C56.11.2	5 years on pillow blocks						

FIRM NAME: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

NO.	DESCRIPTION	QTY.	MAKE/MODEL	UNIT PRICE	STATE LENGTH OF WARRANTY	IS WARRANTY TO BE DONE ON SITE OR UNIT RETURNED TO DEPOT:	COMMENT
C56.11.3	1 year on hardware						
C56.11.4	90 days on upholstery						
C56.11.5	1 year on labour requested						
<b>C57</b>	<b>TRICEP PRESS:</b>	<b>1</b>					
	<b>Product Features:</b>						
C57.1	Tricep Extension featuring a preacher curl position or similar						
C57.2	Comfortable, adjusting hand grips						
C57.3	Optional, built-in add-on weight selector ideal for 5, 10 and 15 lb. increments						
C57.4	11 gauge steel frame						
C57.5	Nylon coated cables or kevlar belt						
C57.6	Full front and back weight stack shroud						
C57.7	Premium upholstery that meets or exceeds fire regulations						
C57.8	Instructional placard						
C57.9	Minimum 200 lbs. stack						
C57.10	Seat adjustment for proper exercise positioning						
C57.11	<b>Warranty Requirements:</b>						
C57.11.1	10 year limited warranty on frame						
C57.11.2	5 years on pillow blocks						
C57.11.3	1 year on hardware						
C57.11.4	90 days on upholstery						
C57.11.5	1 year on labour requested						
<b>C58</b>	<b>SEATED LEG PRESS:</b>	<b>1</b>					
	<b>Product Features:</b>						
C58.1	Selectorized machine that targets the large leg muscles transmitting force through the hips or prevent compression of the spine						
C58.2	Adjustable seat carriage to accommodate a variety of user sizes and desired range of motion						
C58.3	Optional, built-in add-on weight selector ideal for 5, 10 and 15 lb. increments						
C58.4	11 gauge steel frame						
C58.5	Nylon coated cables or kevlar belt						
C57.6	Full front and back weight stack shroud						
C58.7	Premium upholstery that meets or exceeds fire regulations						
C58.8	Instructional placard						
C58.9	Minimum 200 lbs. stack						
C58.10	<b>Warranty Requirements:</b>						
C58.10.1	10 year limited warranty on frame						
C58.10.2	5 years on pillow blocks						
C58.10.3	1 year on hardware						
C58.10.4	90 days on upholstery						
C58.10.5	1 year on labour requested						
<b>C59</b>	<b>SEATED LEG PRESSCALF EXTENSION:</b>	<b>1</b>					
	<b>Product Features:</b>						
C59.1	Selectorized machine that features an articulating foot pad that stays vertical to mimic a squat movement and allows for full extension during						
C59.2	Movements that target the large leg muscles transmitting force through the hips to prevent compression of the spine.						

FIRM NAME: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

NO.	DESCRIPTION	QTY.	MAKE/MODEL	UNIT PRICE	STATE LENGTH OF WARRANTY	IS WARRANTY TO BE DONE ON SITE OR UNIT RETURNED TO DEPOT:	COMMENT
C59.3	Optional, built-in add-on weight selector ideal for 5, 10 and 15 lb. increments						
C59.4	11 gauge steel frame						
C59.5	Nylon coated cables or kevlar belt						
C59.6	Full front and back weight stack shroud						
C59.7	Premium upholstery that meets or exceeds fire regulations						
C59.8	Instructional placard						
C59.9	Minimum 200 lbs. stack						
C59.10	Large, non-slip wear-resistant rubber foot pad allows user to easily perform both exercises						
C59.11	Adjustable seat back allows for desired start position						
C59.12	<b>Warranty Requirements:</b>						
C59.12.1	10 year limited warranty on frame						
C59.12.2	5 years on pillow blocks						
C59.12.3	1 year on hardware						
C59.12.4	90 days on upholstery						
C59.12.5	1 year on labour requested						
<b>C60</b>	<b>LEG EXTENSION:</b>	<b>1</b>					
	<b>Product Features:</b>						
C60.1	Selectorized machine that features multiple, adjustable start positions for workout flexibility targeting muscle groups on the front of the leg						
C60.2	Aligning ankle pad for comfort and convenience						
C60.3	Adjustable back pad allows easy alignment for knee to pivot, ensuring sound biomechanics						
C60.4	Optional, built-in add-on weight selector ideal for 5, 10 and 15 lb. increments						
C60.5	11 gauge steel frame						
C60.6	Nylon coated cables or kevlar belt						
C60.7	Full front and back weight stack shroud						
C60.8	Premium upholstery that meets or exceeds fire regulations						
C60.9	Instructional placard						
C60.10	Minimum 200 lbs. stack						
C60.11	<b>Warranty Requirements:</b>						
C60.11.1	10 year limited warranty on frame						
C60.11.2	5 years on pillow blocks						
C60.11.3	1 year on hardware						
C60.11.4	90 days on upholstery						
C60.11.5	1 year on labour requested						
<b>C61</b>	<b>LEG CURL:</b>	<b>1</b>					
	<b>Product Features:</b>						
C61.1	Selectorized machine that is designed to minimize lower back stress while targeting the hamstrings and other back of leg muscle groups						
C61.2	Adjustable pad positions to accommodate different user heights and sizes						
C61.3	Variable starting positions will accommodate range of motion capabilities						
C61.4	Optional, built-in add-on weight selector ideal for 5, 10 and 15 lb. increments						
C61.5	11 gauge steel frame						

FIRM NAME: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

NO.	DESCRIPTION	QTY.	MAKE/MODEL	UNIT PRICE	STATE LENGTH OF WARRANTY	IS WARRANTY TO BE DONE ON SITE OR UNIT RETURNED TO DEPOT:	COMMENT
C61.6	Nylon coated cables or kevlar belt						
C61.7	Full front and back weight stack shroud						
C61.8	Premium upholstery that meets or exceeds fire regulations						
C61.9	Instructional placard						
C61.10	Minimum 200 lbs. stack						
C61.11	<b>Warranty Requirements:</b>						
C61.11.1	10 year limited warranty on frame						
C61.11.2	5 years on pillow blocks						
C61.11.3	1 year on hardware						
C61.11.4	90 days on upholstery						
C61.11.5	1 year on labour requested						
<b>C62</b>	<b>HIP ADDUCTION/HIP ADDUCTOR INDIVIDUAL STATION OR COMBO STATION:</b>	1					
	<b>Product Features:</b>						
C62.1	Selectorized machine(s) that target in combination both the inner and outer thigh muscle groups						
C62.2	Features an easy-adjust start position for both inner and outer thigh exercises						
C62.3	The pivoting thigh pads are angled for improved function and comfort during workouts						
C62.4	Variable foot pegs accommodate users of all sizes						
C62.5	11 gauge steel frame						
C62.6	Optional, built-in add-on weight selector ideal for 5, 10 and 15 lb. increments						
C62.7	Nylon coated cables or kevlar belt						
C62.8	Full front and back weight stack shroud						
C62.9	Premium upholstery that meets or exceeds fire regulations						
C62.10	Instructional placard						
C62.11	Minimum 200 lbs. stack						
C62.12	<b>Warranty Requirements:</b>						
C62.12.1	10 year limited warranty on frame						
C62.12.2	5 years on pillow blocks						
C62.12.3	1 year on hardware						
C62.12.4	90 days on upholstery						
C62.12.5	1 year on labour requested						
<b>C63</b>	<b>GLUTE:</b>	1					
	<b>Product Features:</b>						
C63.1	Selectorized machine(s) that utilizes an upright body position that targets the glute muscles and works each side independently						
C63.2	Adjustable torso pad accommodates users of all sizes						
C63.3	Linear bearing action for smooth range of motion						
C63.4	11 gauge steel frame						
C63.5	Optional, built-in add-on weight selector ideal for 5, 10 and 15 lb. increments						
C63.6	Nylon coated cables or kevlar belt						
C63.7	Full front and back weight stack shroud						
C63.8	Premium upholstery that meets or exceeds fire regulations						
C63.9	Instructional placard						
C63.10	Minimum 200 lbs. stack						

FIRM NAME: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

NO.	DESCRIPTION	QTY.	MAKE/MODEL	UNIT PRICE	STATE LENGTH OF WARRANTY	IS WARRANTY TO BE DONE ON SITE OR UNIT RETURNED TO DEPOT:	COMMENT
C63.11	<b>Warranty Requirements:</b>						
C63.11.1	10 year limited warranty on frame						
C63.11.2	5 years on pillow blocks						
C63.11.3	1 year on hardware						
C63.11.4	90 days on upholstery						
C63.11.5	1 year on labour requested						
<b>C64</b>	<b>ABDOMINALS:</b>	1					
	<b>Product Features:</b>						
C64.1	Selectorized machine that uses a combination of elbow and back pads with oversized hand grips to provide stability while allowing a natural crunch-style movement targeting abdominal contraction						
C64.2	Easy pad adjustments to accommodate different user sizes						
C64.3	11 gauge steel frame						
C64.4	Optional, built-in add-on weight selector ideal for 5, 10 and 15 lb. increments						
C64.5	Nylon coated cables or kevlar belt						
C64.6	Full front and back weight stack shroud						
C64.7	Premium upholstery that meets or exceeds fire regulations						
C64.8	Instructional placard						
C64.9	Minimum 200 lbs. stack						
C64.10	<b>Warranty Requirements:</b>						
C64.10.1	10 year limited warranty on frame						
C64.10.2	5 years on pillow blocks						
C64.10.3	1 year on hardware						
C64.10.4	90 days on upholstery						
C64.10.5	1 year on labour requested						
<b>C65</b>	<b>TORSO ROTATION:</b>	1					
	<b>Product Features:</b>						
C65.1	Selectorized machine that places the exerciser in a kneeling position to minimize stress on the lower back while rotating the upper body						
C65.2	Adjustable chest pad accommodates users of all sizes						
C65.3	Handles and knee support to provide stability during exercise						
C65.4	11 gauge steel frame						
C65.5	Optional, built-in add-on weight selector ideal for 5, 10 and 15 lb. increments						
C65.6	Nylon coated cables or kevlar belt						
C65.7	Full front and back weight stack shroud						
C65.8	Premium upholstery that meets or exceeds fire regulations						
C65.9	Instructional placard						
C65.10	Minimum 200 lbs. stack						
C65.11	<b>Warranty Requirements:</b>						
C65.11.1	10 year limited warranty on frame						
C65.11.2	5 years on pillow blocks						
C65.11.3	1 year on hardware						
C65.11.4	90 days on upholstery						
C65.11.5	1 year on labour requested						
<b>C66</b>	<b>BACK EXTENSION:</b>	1					
	<b>Product Features:</b>						

FIRM NAME: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

NO.	DESCRIPTION	QTY.	MAKE/MODEL	UNIT PRICE	STATE LENGTH OF WARRANTY	IS WARRANTY TO BE DONE ON SITE OR UNIT RETURNED TO DEPOT:	COMMENT
C66.1	Selectorized machine that targets the core group by extension of the back						
C66.2	Lumbar pad establishes the correct position relative to the point of rotation						
C66.3	Adjustments accommodate users of all sizes						
C66.4	Adjustable start mechanism allows for variable range of motion						
C66.5	11 gauge steel frame						
C66.6	Optional, built-in add-on weight selector ideal for 5, 10 and 15 lb. increments						
C66.7	Nylon coated cables or kevlar belt						
C66.8	Full front and back weight stack shroud						
C66.9	Premium upholstery that meets or exceeds fire regulations						
C66.10	Instructional placard						
C66.11	Minimum 200 lbs. stack						
C66.12	<b>Warranty Requirements:</b>						
C66.12.1	10 year limited warranty on frame						
C66.12.2	5 years on pillow blocks						
C66.12.3	1 year on hardware						
C66.12.4	90 days on upholstery						
C66.12.5	1 year on labour requested						
<b>C67</b>	<b>LEG EXTENSION/LEG CURL:</b>	<b>1</b>					
	<b>Product Features:</b>						
C67.1	Selectorized machine that targets both front of leg and back of leg muscle groups through adjustable work-arm positions						
C67.2	Adjustable pad positions to accommodate different user heights and sizes						
C67.3	Variable starting positions will accommodate range of motion capabilities						
C67.4	11 gauge steel frame						
C67.5	Optional, built-in add-on weight selector ideal for 5, 10 and 15 lb. increments						
C67.6	Nylon coated cables or kevlar belt						
C67.7	Full front and back weight stack shroud						
C67.8	Premium upholstery that meets or exceeds fire regulations						
C67.9	Instructional placard						
C67.10	Minimum 200 lbs. stack						
C67.11	<b>Warranty Requirements:</b>						
C67.11.1	10 year limited warranty on frame						
C67.11.2	5 years on pillow blocks						
C67.11.3	1 year on hardware						
C67.11.4	90 days on upholstery						
C67.11.5	1 year on labour requested						
<b>C68</b>	<b>MULTI PRESS:</b>	<b>1</b>					
	<b>Product Features:</b>						
C68.1	Selectorized machine that combines three machines in one: bench press, incline press and shoulder press.						
C68.2	Users can adjust press arm and seat while on the machine						
C68.3	Comfortable, oversized grips with multiple positions						

FIRM NAME: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

NO.	DESCRIPTION	QTY.	MAKE/MODEL	UNIT PRICE	STATE LENGTH OF WARRANTY	IS WARRANTY TO BE DONE ON SITE OR UNIT RETURNED TO DEPOT:	COMMENT
C68.4	Seat adjustment make it easy for users to get in position for proper exercise form						
C68.5	11 gauge steel frame						
C68.6	Optional, built-in add-on weight selector ideal for 5, 10 and 15 lb. increments						
C68.7	Nylon coated cables or kevlar belt						
C68.8	Full front and back weight stack shroud						
C68.9	Premium upholstery that meets or exceeds fire regulations						
C68.10	Instructional placard						
C68.11	Minimum 200 lbs. stack						
C68.12	<b>Warranty Requirements:</b>						
C68.12.1	10 year limited warranty on frame						
C68.12.2	5 years on pillow blocks						
C68.12.3	1 year on hardware						
C68.12.4	90 days on upholstery						
C68.12.5	1 year on labour requested						
<b>C69</b>	<b>FUNCTIONAL TRAINING SYSTEM:</b>	<b>1</b>					
	<b>Product Features:</b>						
C69.1	Selectorized machine featuring 2 weight stacks and vertically adjustable columns creating a wide variety of total body exercises in a compacted space						
C69.2	Ratio of resistance provides lower starting resistance ideal for less experienced users						
C69.3	Ratios also allow for faster movements for sport specific training						
C69.4	11 gauge steel frame						
C69.5	Nylon coated cables or kevlar belt						
C69.6	Full front and back weight stack shroud						
C69.7	Accessory kit featuring different handles						
C69.8	Instructional placard						
C69.9	Minimum 200 lbs. stack						
C69.10	<b>Warranty Requirements:</b>						
C69.10.1	10 year limited warranty on frame						
C69.10.2	5 years on pillow blocks						
C69.10.3	1 year on hardware						
C69.10.4	90 days on upholstery						
C69.10.5	1 year on labour requested						
<b>CD</b>	<b>SECTION 4: STRENGTH EQUIPMENT - BENCHES AND RACKS:</b>						
<b>C70</b>	<b>OLYMPIC FLAT BENCH:</b>	<b>1</b>					
	<b>Product Features:</b>						
C70.1	Be rated for a minimum of light commercial usage						
C70.2	Bench is fixed in horizontal to floor position						
C70.3	Built-in and fixed racking system for variable bar positioning						
C70.4	Premium upholstery that meets or exceeds fire regulations						
C70.5	11 gauge steel frame						
C70.6	Instructional placard, if applicable						
C70.7	<b>Warranty Requirements:</b>						
C70.7.1	10 year limited warranty on frame						

FIRM NAME: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

NO.	DESCRIPTION	QTY.	MAKE/MODEL	UNIT PRICE	STATE LENGTH OF WARRANTY	IS WARRANTY TO BE DONE ON SITE OR UNIT RETURNED TO DEPOT:	COMMENT
C70.7.2	5 years on pillow blocks						
C70.7.3	1 year on hardware						
C70.7.4	90 days on upholstery						
<b>C71</b>	<b>OLYMPIC INCLINE BENCH:</b>	<b>1</b>					
	<b>Product Features:</b>						
C71.1	Be rated for a minimum of light commercial usage						
C71.2	Bench is fixed at 30 degree angle of incline with adjustable seat pad to accommodate for different user sizes						
C71.3	Built-in and fixed racking system for variable bar positioning						
C71.4	Premium upholstery that meets or exceeds fire regulations						
C71.5	11 gauge steel frame						
C71.6	Instructional placard, if applicable						
C71.7	<b>Warranty Requirements:</b>						
C71.7.1	10 year limited warranty on frame						
C71.7.2	5 years on pillow blocks						
C71.7.3	1 year on hardware						
C71.7.4	90 days on upholstery						
<b>C72</b>	<b>OLYMPIC DECLINE BENCH:</b>	<b>1</b>					
	<b>Product Features:</b>						
C72.1	Be rated for a minimum of light commercial usage						
C72.2	Bench is fixed at 15 degree angle of decline with adjustable knee pad to accommodate for different user sizes						
C72.3	Built-in and fixed racking system for variable bar positioning						
C72.4	Premium upholstery that meets or exceeds fire regulations						
C72.5	11 gauge steel frame						
C72.6	Instructional placard, if applicable						
C72.7	<b>Warranty Requirements:</b>						
C72.7.1	10 year limited warranty on frame						
C72.7.2	5 years on pillow blocks						
C72.7.3	1 year on hardware						
C72.7.4	90 days on upholstery						
<b>C73</b>	<b>OLYMPIC MILITARY BENCH:</b>	<b>1</b>					
	<b>Product Features:</b>						
C73.1	Be rated for a minimum of light commercial usage						
C73.2	Bench is fixed upright (similar to utility bench)						
C73.3	Built-in and forward and rear fixed racking system for variable bar positioning and safety						
C73.4	Spotter platforms built-in						
C73.5	Premium upholstery that meets or exceeds fire regulations						
C73.6	11 gauge steel frame						
C73.7	Instructional placard, if applicable						
C73.8	<b>Warranty Requirements:</b>						
C73.8.1	10 year limited warranty on frame						
C73.8.2	5 years on pillow blocks						
C73.8.3	1 year on hardware						
C73.8.4	90 days on upholstery						
<b>C74</b>	<b>ARM CURL BENCH:</b>	<b>1</b>					
	<b>Product Features:</b>						
C74.1	Be rated for a minimum of light commercial usage						

FIRM NAME: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

NO.	DESCRIPTION	QTY.	MAKE/MODEL	UNIT PRICE	STATE LENGTH OF WARRANTY	IS WARRANTY TO BE DONE ON SITE OR UNIT RETURNED TO DEPOT:	COMMENT
C74.2	Bench is fixed and is used in a standing position						
C74.3	Provides a 45 degree standing preacher curl and 85 degree standing bicep curl						
C74.4	Premium upholstery that meets or exceeds fire regulations						
C74.5	11 gauge steel frame						
C74.6	Instructional placard, if applicable						
C74.7	<b>Warranty Requirements:</b>						
C74.7.1	10 year limited warranty on frame						
C74.7.2	5 years on pillow blocks						
C74.7.3	1 year on hardware						
C74.7.4	90 days on upholstery						
<b>C75</b>	<b>FLAT BENCH:</b>	1					
	<b>Product Features:</b>						
C75.1	Be rated for a minimum of light commercial usage						
C75.2	Bench is fixed in horizontal to floor position						
C75.3	Premium upholstery that meets or exceeds fire regulations						
C75.4	11 gauge steel frame						
C75.5	<b>Warranty Requirements:</b>						
C75.5.1	10 year limited warranty on frame						
C75.5.2	5 years on pillow blocks						
C75.5.3	1 year on hardware						
C75.5.4	90 days on upholstery						
<b>C76</b>	<b>MULTI-ADJUSTABLE BENCH:</b>	1					
	<b>Product Features:</b>						
C76.1	Be rated for a minimum of light commercial usage						
C76.2	Bench has adjustable back positions from flat to approximately 70 degrees incline						
C76.3	Premium upholstery that meets or exceeds fire regulations						
C76.4	11 gauge steel frame						
C76.5	Transport wheels with built in handle for easy mobility						
C76.6	<b>Warranty Requirements:</b>						
C76.6.1	10 year limited warranty on frame						
C76.6.2	5 years on pillow blocks						
C76.6.3	1 year on hardware						
C76.6.4	90 days on upholstery						
<b>C77</b>	<b>UTILITY BENCH:</b>	1					
	<b>Product Features:</b>						
C77.1	Be rated for a minimum of light commercial usage						
C77.2	Bench has fixed seat and back at roughly 80 degrees. Seat is low to ground for ease of use						
C77.3	Premium upholstery that meets or exceeds fire regulations						
C77.4	11 gauge steel frame						
C77.5	<b>Warranty Requirements:</b>						
C77.5.1	10 year limited warranty on frame						
C77.5.2	5 years on pillow blocks						
C77.5.3	1 year on hardware						
C77.5.4	90 days on upholstery						
<b>C78</b>	<b>ADJUSTABLE DECLINE/ABDOMINAL BENCH:</b>	1					

FIRM NAME: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

NO.	DESCRIPTION	QTY.	MAKE/MODEL	UNIT PRICE	STATE LENGTH OF WARRANTY	IS WARRANTY TO BE DONE ON SITE OR UNIT RETURNED TO DEPOT:	COMMENT
	<b>Product Features:</b>						
C78.1	Be rated for a minimum of light commercial usage						
C78.2	Bench has adjustable back positions from: -10.5; -15.5; -20.5; -25.5 degrees						
C78.3	Transport wheels with built in handle for easy mobility						
C78.4	Premium upholstery that meets or exceeds fire regulations						
C78.5	11 gauge steel frame						
C78.6	<b>Warranty Requirements:</b>						
C78.6.1	10 year limited warranty on frame						
C78.6.2	5 years on pillow blocks						
C78.6.3	1 year on hardware						
C78.6.4	90 days on upholstery						
<b>C79</b>	<b>CHIN/DIP/LEG RAISE:</b>	1					
	<b>Product Features:</b>						
C79.1	Be rated for a minimum of light commercial usage						
C79.2	Bench comfortably allows 3 exercises in one unit with multiple hand grip angles for variety and comfort						
C79.3	Anti-slip foot platforms, if applicable						
C79.4	Premium upholstery that meets or exceeds fire regulations						
C79.5	11 gauge steel frame						
C79.6	<b>Warranty Requirements:</b>						
C79.6.1	10 year limited warranty on frame						
C79.6.2	5 years on pillow blocks						
C79.6.3	1 year on hardware						
C79.6.4	90 days on upholstery						
<b>C80</b>	<b>BACK EXTENSION:</b>	1					
	<b>Product Features:</b>						
C80.1	Be rated for a minimum of light commercial usage						
C80.2	Angled pads for support						
C80.3	Lower roll pads for stability and to support body weight						
C80.4	Adjustable for various user sizes						
C80.5	Anti-slip foot platforms						
C80.6	Premium upholstery that meets or exceeds fire regulations						
C80.7	11 gauge steel frame						
C80.8	<b>Warranty Requirements:</b>						
C80.8.1	10 year limited warranty on frame						
C80.8.2	5 years on pillow blocks						
C80.8.3	1 year on hardware						
C80.8.4	90 days on upholstery						
<b>C81</b>	<b>GLUTE/HAM EXTENSION:</b>	1					
	<b>Product Features:</b>						
C81.1	Be rated for a minimum of light commercial usage						
C81.2	Rotating thigh pad increases user comfort						
C81.3	Horizontal adjustment for users of all sizes						
C81.4	Walk through design for ease of entry/exit						
C81.5	Reverse hyper handles to focus on lower back						
C81.6	Premium upholstery that meets or exceeds fire regulations						
C81.7	11 gauge steel frame						
C81.8	<b>Warranty Requirements:</b>						

FIRM NAME: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

NO.	DESCRIPTION	QTY.	MAKE/MODEL	UNIT PRICE	STATE LENGTH OF WARRANTY	IS WARRANTY TO BE DONE ON SITE OR UNIT RETURNED TO DEPOT:	COMMENT
C81.8.1	10 year limited warranty on frame						
C81.8.2	5 years on pillow blocks						
C81.8.3	1 year on hardware						
C81.8.4	90 days on upholstery						
<b>C82</b>	<b>POWER RACK:</b>	1					
	<b>Product Features:</b>						
C82.1	Be rated for a minimum of light commercial usage						
C82.2	Walk through design with adjustable safeties and bar holders						
C82.3	Built-in weight horns						
C82.4	Pull up bar(s) built in						
C82.5	11 gauge steel frame						
C82.6	Instructional placard, if applicable						
C82.7	<b>Warranty Requirements:</b>						
C82.7.1	10 year limited warranty on frame						
C82.7.2	5 years on pillow blocks						
C82.7.3	1 year on hardware						
C82.7.4	90 days on upholstery						
<b>CE</b>	<b>SECTION 5: STRENGTH EQUIPMENT - PLATES, DUMBBELLS, BARS, STORAGE RACKS AND TREES:</b>						
<b>C83</b>	<b>DUMBBELLS - BASIC SET:</b>	1					
	<b>Product Features:</b>						
C83.1	Urethane coated hexagonal shaped						
C83.2	Ergonomic handles with hardened chrome						
C83.3	Secured heads for durability						
C83.4	Paired set from 2.5 lbs. through 50 lbs.						
C83.5	<b>Warranty Requirements:</b>						
C83.5.1	2 to 5 year limited warranty on structural integrity						
<b>C84</b>	<b>DUMBBELLS - ADVANCED SET:</b>	1					
	<b>Product Features:</b>						
C84.1	Urethane coated hexagonal shaped						
C84.2	Ergonomic handles with hardened chrome						
C84.3	Secured heads for durability						
C84.4	Paired set from 5 lbs. through 50 lbs., plus 2.5, 7.5 and 12.5 lbs pairs, plus 55, 60, 65, 70, 75, 80, 85, 90, 95 and 100 lbs pairs						
C84.5	<b>Warranty Requirements:</b>						
C84.5.1	2 to 5 year limited warranty on structural integrity						
<b>C85</b>	<b>DUMBBELLS - SINGLES:</b>	1					
	<b>Product Features:</b>						
C85.1	Urethane coated hexagonal shaped						
C85.2	Ergonomic handles with hardened chrome						
C85.3	Secured heads for durability						
C85.4	Available from 2.5 to 100 lbs. per unit pricing or per pound						
C85.5	<b>Warranty Requirements:</b>						
C85.5.1	2 to 5 year limited warranty on structural integrity						
<b>C86</b>	<b>DUMBBELL RACK 2-TIER:</b>	1					

FIRM NAME: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

NO.	DESCRIPTION	QTY.	MAKE/MODEL	UNIT PRICE	STATE LENGTH OF WARRANTY	IS WARRANTY TO BE DONE ON SITE OR UNIT RETURNED TO DEPOT:	COMMENT
	<b>Product Features:</b>						
C86.1	Designed to accommodate hex dumbbells						
C86.2	2, angled for safe loading and unloading						
C86.3	11 gauge steel frame or greater						
C86.4	Protective materials to prolong the life of dumbbells - either cups or shelf liners						
C86.5	<b>Warranty Requirements:</b>						
C86.5.1	5 year limited warranty at minimum						
<b>C87</b>	<b>DUMBBELL RACK 3-TIER:</b>	1					
	<b>Product Features:</b>						
C87.1	Designed to accommodate hex dumbbells						
C87.2	3, angled for safe loading and unloading						
C87.3	11 gauge steel frame or greater						
C87.4	Protective materials to prolong the life of dumbbells - either cups or shelf liners						
C87.5	<b>Warranty Requirements:</b>						
C87.5.1	5 year limited warranty at minimum						
<b>C88</b>	<b>AEROBIC DUMBBELLS (SETS):</b>	1					
	<b>Product Features:</b>						
C88.1	Neoprene coated, hexagonal shaped						
C88.2	Made for strength training and group exercise programs						
C88.3	Cast iron base construction						
C88.4	Available in 2, 3, 5, 8 and 10 lbs.						
C88.5	Set should provide good mix of weights with portable storage system						
C88.6	<b>Warranty Requirements:</b>						
C88.6.1	1 year limited warranty on rack systems						
C88.6.2	No warranty on dumbbells required						
<b>C89</b>	<b>AEROBIC DUMBBELLS (REPLACEMENT PAIRS OR SINGLES):</b>	1					
	<b>Product Features:</b>						
C89.1	Neoprene coated, hexagonal shaped						
C89.2	Made for strength training and group exercise programs						
C89.3	Cast iron base construction						
C89.4	Available in 2, 3, 5, 8 and 10 lbs.						
C89.5	Available in prescribed minimum of pairs/weights for replenishment of full set						
C89.6	<b>Warranty Requirements:</b>						
C89.6.1	No warranty on dumbbells required						
<b>C90</b>	<b>PLATE TREE:</b>	1					
	<b>Product Features:</b>						
C90.1	Designed to accommodate Olympic plates						
C90.2	Stable base, ideally welded construction						
C90.3	Minimumm, 11 gauge steel						
C90.4	Appropriate weight horns designed for easy loading and unloading of plates, angled to prevent accidental dropping/falling of plates from the rack						
C90.5	<b>Warranty Requirements:</b>						

FIRM NAME: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

NO.	DESCRIPTION	QTY.	MAKE/MODEL	UNIT PRICE	STATE LENGTH OF WARRANTY	IS WARRANTY TO BE DONE ON SITE OR UNIT RETURNED TO DEPOT:	COMMENT
C90.5.1	5 year limited warranty at minimum						

FIRM NAME: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

ITEM NO.	SCHOOL NAME	ADDRESS	
1	A.B. Lucas Secondary School	656 Tennent Avenue, London, ON	N5X 1L8
2	Annandale Secondary School	60 Tillson Avenue, Tillsonburg, ON	N4G 3A1
3	Arthur Voaden Secondary School	41 Flora Street, St. Thomas, ON	N5P 2X5
4	Central Elgin C. I.	201 Chestnut Street, St. Thomas, ON	N5R 2B5
5	Central Secondary School	509 Waterloo Street, London, ON	N6B 2P8
6	Clarke Road Secondary School	300 Clarke Road, London, ON	N5W 5N4
7	College Avenue Secondary School	700 College Avenue, Woodstock, ON	N4S 2C8
8	East Elgin Secondary School	362 Talbot Street West, Aylmer, ON	N5H 1K6
9	Glencoe District Secondary School	3581 Concession Drive, Box 370, Glencoe, ON	N0L 1M0
10	Glendale Secondary School	37 Glendale Drive, Tillsonburg, ON	N4G 1J6
11	H.B. Beal Secondary School	525 Dundas Street, London, ON	N6B 1W5
12	Huron Park Secondary School	900 Cromwell Street, Woodstock, ON	N4S 5B5
13	Ingersoll District C. I.	37 Alma Street, Ingersoll, ON	N5C 1N1
14	Lord Dorchester Secondary School	61 Queen Street, Dorchester, ON	N0L 1G0
15	Medway Secondary School	14405 Medway Road, Arva, ON	N0M 1C0
16	Montcalm Secondary School	1350 Highbury Avenue, London, ON	N5Y 1B5
17	North Middlesex District Secondary School	100 Main Street, Box 610, Parkhill, ON	N0M 2K0
18	Norwich District Secondary School	R.R. 1 Stove St. & Hwy 59, Norwich, ON	N0J 1P0
19	Oakridge Secondary School	1040 Oxford Street West, London, ON	N6H 1V4
20	Parkside Collegiate Institute	241 Sunset Drive, St. Thomas, ON	N5R 3C2
21	Saunders Secondary School	941 Viscount Road, London, ON	N6K 1H5
22	Sir Frederick Banting Secondary School	125 Sherwood Forest, London, ON	N6G 2C3
23	Sir George Ross Secondary School	365 Belfield Street, London, ON	N5Y 2K3
24	Sir Wilfrid Laurier Secondary School	450 Millbank Drive, London, ON	N6C 4W7
25	South Secondary School	371 Tecumseh Avenue, London, ON	N6C 1T4
26	Strathroy District Secondary School	96 Kittredge Avenue, Strathroy, ON	N7G 2A8
27	Thames Secondary School	785 Trafalgar Street, London, ON	N5Z 1E6
28	West Elgin Secondary School	139 Graham Street, West Lorne	N0L 2P0
29	Westminster Secondary School	230 Base Line Road West, London, ON	N6J 1W1
30	Woodstock Collegiate Institute.	35 Riddell Street, Woodstock, ON	N4S 6L9
	<i>*locations may be added as required.</i>		

FIRM NAME: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_